



Accessories Catalogue

Accessories



Contents

Cab, Sheet Metal		
& Electrical	Msc 3	
Door Handles	Msc 3	
Wiper Parts	Msc 8	
Mirrors	Msc 15	-
Seats	Msc 20	
Gas Struts	Msc 30	
Lucas Beacons	Msc 40	
Work Lamps	Msc 42	
Trailer Lights	Msc 46	
Easyfit Wiring	Msc 48	-
Marker Lamps	Msc 50	
LED Trailer Lights	Msc 52	
Pins & Sockets	Msc 54	
Trailer Jockey		_ /
Wheels & Parts	Msc 56	
Trailer Heads	Msc 57	-
Tow Hitches	Msc 58	
Nuts & Bolts	Msc 61	
Suspension	Msc 62	
Mudguards	Msc 63	ŀ
Brake Shoes	Msc 65	
Brake Cables	Msc 66	
Bulbs	Msc 70	
Electrical Cable	Msc 72	
Terminals/Fuses	Msc 74	
Batteries &		
Accessories	Msc 78	
Relays	Msc 82	5
Switches	Msc 83	- (
Fan Blowers	Msc 87	
Tractor Paint	Msc 90	














Cooling	Msc 141	
Radiator, Fuel		
& Oil Caps Fuel Pumps	Msc 141 Msc 146	
Fan Belts	Msc 147	-

Axle Parts	Msc 153
Orbital Units	Msc 153

Bolts, Nuts & Bearings	Msc 154	
High Tensile Steel Bolts	Msc 154	
Ball Bearings	Msc 160	and some of the second second

Garage Equipment Msc 163




Universal Joints, **PTO & Crossends**

Msc 180

msc2



Interior Door Handles





Door Handles



Non Locking Plain

Handle 1.75



Locking Handle 500's 1.75'



Door Handle Non Locking (1.5')



Door Locking Handle (1.5')



Door Handle 290 Sanki Outer



Door Handle 4200 Outer LH & RH



Door Handle 300's Outside ** Spacer pack is 62842 **



Spacer Pack 390 Door Handle ** Door Handle is 4567 **





Cab Door Handles

Ford



- Male Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. msc4

Female

6400 7400 8200

Heavy Duty

Approved By:



Cab Door Handles



Door Slam Lock Duncan

7000 7600(3058 outer/4571 inner)

4100 4600 5000 5600 6600

LH No Safety Catch

RH No Safety Catch




Door Locks







Bonnet Catches



Bonnet Catch 5" -

Bonnet Catch 2 1/2"

Wheel Spinners





Wheel Spinner Straight - Flat **Steering Wheel**





Wheel Spinner30°

Disc Holder

1772

Tax Disc and Licence Holder Chrome




Cable



MOD 15-09-16 Pg Modified By: Ver 5.0 Date Modified:




Wiper Motors




Wiper Motor 12 Volt 105 Degrees Small Tapere



Wiper Motor 12 Volt 120¦ Straight Single Spin Shaft Length 99mm



Wiper Motor 12 Volt 80¦ Small Tapered Shaft Shaft Length 58mm - Check Type of Cab



Wiper Motor Case 12V 135¦ Small Tapered Shaft Shaft Length 34mm

msc8



Wiper Motor 12 Volt 85 Degrees Small Tapered



Wiper Motor 12 Volt 110¦ Short Stem Straight Shaft Lenght 46mm Arm ref is 4296



Wiper Motor 12 Volt 110¦ Small Tapered Shaft Shaft Length 58mm



Wiper Motor Case 12V 115¦ Small Tapered Shaft Shaft Length 34mm





Wiper Motors

1008



Wiper Motor 12 Volt 110 **Degrees Small Tapered** c/w Switch - Shaft Length 58mm



Wiper Motor 12 Volt 90¦ Small Ta- Wiper Motor 24 Volt 90¦ Small pered Shaft c/w Switch Used in kit 4195 (Shaft length 58mm)

1563

51061

Arm = 2207

Blade = 1619



Tapered Shaft c/w Switch - Shaft length 58mm



Wiper Motor Kit 12 Volt 110¦ c/w Arm & Blade Shaft Length 58mm



Wiper Motor Kit 12 Volt 90 c/w Arm & Blade Shaft Length 58mm

63240



Wiper Motor 300 12V 115¦ Small **Tapered Shaft** (Shaft length 78mm)



Wiper Motor 390 12V 105¦ Large Tapered Shaft Shaft length 33mm





Wiper Motor John Deere 6000

51059

Arm = 2207 Blade = 1619



Wiper Motor 390 398 105¦ Shaft Length 48mm

Wiper Motor Front 54s 42s 43s



Wiper Motor Ford Super QTW5 TW35 10



SG2 12V 90¦



Wiper Motor John Deere SG2 12V 90¦



Window Washer Parts



Approved By:

OTP Guy Dator Part)
Est. 1981	

Date:			No. of Pages:	•	
	of the Rep			•	
From:					
Phone	No.:		Fax No.:		
	Please quote for the following parts - Quotation Number :				
		ne following order on Q			
	Please supply the f		-		
Qty		Description		Unit Price	
1.				Officience	
2.					
3.					Pl
4.					lease
5.					SI
6. 7.					0
8.					do
9.					
10.					not
11.					
12.				_	ren
13. 14.					m
15.				•	20
16.					Se
17.					t
18.					n
19.					S 7
20.					20
22.				•	this page
23.					5
24.					
Comn	nents:			•	
•				•	
Custo	mer Signature:		Rep's Signat	ure:	

Tel No: + 353 44 934 1638 e-mail: info@qtponline.com, www.qtponline.com

Date Modified:

Approved By:

MOD 15-09-16

Ver 5.0

Pg Modified By:



Wiper Arms

Photo	Part No	Motor	Description	Len	gth
		Туре		Inches	mm
	4296	Straight Shaft	Wiper Arm	18″	457.2
	2014	Straight Shaft	Parallel Arm	18″	457.2
	2207	Small Tapered Shaft	Wiper Arm	12½′	315
	1897	Small Tapered Shaft	Parallel Arm Blade=1619 Blade=53769	19½′	500
and the second sec	51497	Small Tapered	Wiper Arm	15½′	400
	51008	Large Tapered	Wiper Arm MF 600's	19½′	500
	2870	Large Splined	Wiper Arm Ford Super Q & Q Cab Blade=2837	17″	431.8
C	4894	Large Tapered	Wiper Arm Large Hole	15½″	400



Photo	Part No	Description	Len	gth
Flioto	Faitino	Description	Inches	mm
	2206	New 1008 Motor	menes	400
	2246	2246 Wiper Blade		450
	4685	Wiper Blade	24″	609.6
	1619	Suits 1897 Wiper Arm	20″	508
	6753	Suits 600/3000'S		600
	61941	42/43/61/62/81/82's ALSO 5400 6400 7400 Case Ford DB Fiat Deutz JD Leyland	20″	508
	2837	Ford Q & Super Q Cab John Deere 50's SG2 Cab Wiper Arm =2870		500
	404895	Ford 40 TS TM M		550
	51009	Case XL		650
	62039	Wiper Blade Front J.Deere 6000/10/20 Front and Rear for 50HX	231⁄2″	600
	59803	Wiper Blade Rear John Deere 6000/10/20		
	780048	Wiper Blade Renault TS/TX		
	62283	Wiper Blade 28"		700
	53769	Wiper Blade suits 1897		

MOD 15-09-16

Cab Parts

Extractor Fans



2467 Hose Heater 1/2" Per Mtr

51886 Hose Heater 3/4" - sold by the metre

msc14



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. AD

By: Date Modified: 21/05/2014

odified: Approved By: 014 GR





Complete Mirrors

Massey Ferguson

Massey Ferguson			
62615	1506		62086
Mirror Complete Telescopic 5400 6400 LH RH Glass=41101GL 313mm x 224mm	Mirror 3000s (320 x 220mm)		Mirror Round c/w Arm To Suit Exhaust Pipe
6499000	6499001		62103
MIRROR COMPLETE 600 RH (235x170mm)	Mirror Complete 600 (235x170mm)	LH	Mirror Round R-View & Clamp kit For Ex- haust P
59656 Mirror Rear View 180¦ Wide Angle Small (220x110mm)	J Denset	59657 Mirror Rear View 180¦ Wide Angle Large (280X160mm)	OD
6490000 Mirror Complete Same Deutz RH	6	1190	A DEC
(180X236mm) 6490001 Mirror Complete Same Deutz LH (180X236mm)	Ľ	Mirror 340 x 220mm	
4704		1584	
Mirror Mercedes 368 x 182		Mirror 420mm x 200mm Mercedes	
1241	1535		6491001
			Mirror Complete
Mirror For Interior - 147mm x 97mm Super Q	Mirror 14" x 6 1/2" Fla	t	Same LH



Complete Mirrors

Ford

2042 Mirror Ford 7840 Convex 10 1/2" x 6 3/4" Also suits Q Cab Glass=2042GL (257x157mm)



1191

41102

Mirror Assembly Ford 40s (218x173 mm)





Mirror Ford 60/70/M/TM/TR/TS's Rear View Glass=41101GL Mirror Arm =42098



Mirror Ford 8160-8970 M TM TR TS Rear View Glass=2042GL Mirror Arms To Suit: 409679 + 409680



409690







Mirror Ford 40 TS 81-85 60 Rear View LH Mirror to Suit 409928 Mirror Ford 40 TS 81-85 60 Rear View RH Mirror to Suit 409928 Glass= 2042GL

Mirror Ford 40 TS 81 - 8560 Rear View Suits 409691 & 409690 Glass= 2042GL

Smat Nord Mirror

6480025

Mirror 237 x 180 16mm 18mm 20mm Clamps Ford 7840 Convex Suits Q Cab Fiat Deutz Same Lamborgini Massey Ferguson



(6

MATNORD



Approved By:



Complete Mirrors

John Deere



Glass Replacement for 41101 tm Massey Ferguson 54/64/62 series ** Suits 62615 Mirror ** 313mm x 224mm

Mirror Glass Convex for 2042 Ford 40's

Mirror Glass John Deere 10 20 60 R/ View PAIR 281 x 201 mm



Ford



409616

Mirror Ford TM115-165 LH Telescopic Rear View (99-02) 8160-8560 (95-00) TS90-115 (97-03) Mirror = 41101





409679 Mirror Arm Ford 60 TM TS LH Mirror = 41102



409680

409617

TS90-115 (97-03)

Mirror = 41101

Mirror Ford TM115-165 RH Telescopic

Rear View (99-02) 8160-8560 (95-00)



42098 Mirror Arm TSA T Series RH Mirror = 41101 Glass 41101GL

42099 Mirror Arm TSA T Series LH Mirror = 41101 Glass 41101GL

6550 Mirror Arm 300 LH & RH D Headed



4395 Mirror Arm Ford Super Q 13' Throw Out Top to Bottom 30" Throw out 13"



62838 Mirror Arm RH 41 42 61 81



62839 Mirror Arm LH 41 42 61 81



Mirror Arms

2590	Mirror Arm 8"	
2589	Mirror Arm 12"	
2591	Mirror Arm 16"	

John Deere



59797

59903

Mirror Arm Kit John Deere 6000 LH Telescopic Mirror = 59901 Arm = 59796

Mirror Arm Kit John Deere

6000 RH Telescopic

Mirror = 59901 Arm = 59800



Mirror Arm John Deere 10 20 6000's LH Telescopic Mirror Arm John Deere 10 20 6000's RH Telescopic

Renault






SEATS FOR MODERN TRACTORS

51803

Seat Foldable Armrest Scissor Suspension Black hard wearing cloth fabric

- Fore Aft Slide Adjustment
- Adjustable weight from 50kg 136kg







53757 Arm Rest Suits 51803

51804

Seat with Air Suspension and Foldable Armrests Cloth Upholstered







51874


BLUE SEAT WITH ANGLE ADJUSTMENT





52845 SCISSOR SUSPENSION SEAT

Seat Foldable Armrest Scissor Suspension Black 390 290



51606 BLUE SEAT WITH ANGLE ADJUSTMENT

51738 BLACK SEAT WITH ANGLE ADJUSTMENT

- Heavy duty vinyl covered molded cushions
- Adjustable weight suspension from 50kg 136kg
- Height Adjustment
- Fore Aft Slide Adjustment
- Heavy steel base with muliple hole mounting pattern

51737

BLACK SEAT WITH SLIDING

BASE

- Heavy duty vinyl covered molded cushions
- Adjustable weight suspension from 50kg 136kg
- Height Adjustment
- Fore Aft Slide Adjustment
- Heavy steel base with muliple hole mounting pattern •

62957

Seat Riser Massey Ferguson 35 135





Base 230mm Wide 330mm Deep

2195

RIGHT HAND SIDE ARM REST FOR GRAMMER SEAT -Landini, John Deere, Massey Ferguson







BLUE SEAT WITH SLIDING BASE

51805

53850 SEAT BLACK

Heavy duty vinyl covered molded cushions

- Flat Back
- Sliding Base •





53764 MECHANICAL SEAT WITH COMPACT BASE

- 1 Double depth comfort Fabriform[®]cushions for that legendary Sears comfort
- 2 Fold up arm rests with substantial foam padding improving comfort
- 3 Weight adjustment indicator
- 4 Weight adjust control
- 5 Height adjust control
- 6 Fore/aft slide control
- 7 Mechanical suspension
- 908, Sears seat part No. SA20459.400

SPECIFICATIONS

Double depth Fabriform[®] comfort cushions

Weight adjustment 30-130kg

Height adjustment 80mm

Slide travel 160mm


Moulded suspension cover

Vibration performance to ISO 7096

Armrests with tilt up adjustment

Operator presence switch

Supplied with multifix mounting kit





53765 AIR SEAT WITH COMPACT BASE


- 1 Double depth comfort Fabriform[®] cushions for that legendary Sears comfort
- 2 Fold up arm rests with substantial foam padding improving comfort
- 3 Height adjustment indicator
- 4 Low natural frequency Airide® suspension -air valve Adjust switch
- 5 Height/weight adjust control
- 6 Fore/aft slide control
- 930, Sears seat part No. SA20442.400







SPECIFICATIONS





53766AIR SEAT WITH SWIVEL

- 1 Ergonomically sculptured back support for full range of movement
- 2 Double depth comfort Fabriform[®] cushions for that legendary Sears comfort
- 3 Low natural frequency Airide® suspension -air valve adjust switch
- Slide adjust control switch
- Swivel 24° rotational adjustment left and right 5 with lock in, lock out, free swivel facility. Making it easier when driving, getting in and out of the seat or using a rear attachment
- 6 Horizontal isolator for reduction in vibration when traveling at speed or when towing implements
- 7 Adjustable backrest angle provides customised comfort preventing damage from bad posture.
- 8 Fold up arm rests with height adjustment featuring substantial foam padding improving comfort when turning in the seat

53884

- 9 Lumbar support lever
- 3045, Sears seat part No. SA24117.400

53883

Compressor Service Kit 12V

Air Spring Service Kit

53928

Operator Presence Switch Service Kit



Replaceable double depth Fabriform® comfort cushions

Height adjustment 76mm

Back angle fully adjustable

Automatic height & weight adjustment 50 - 150kg

Automatic ride protection system(ARPS™)

Suspension stroke 80mm

Horizontal isolator fully integrated, sprung & Duo® Damped


Armrests with height & tilt up adjustment

Slide travel 160mm

Moulded suspension cover

Vibration performance to ISO 7096

Supplied with multifix mounting kit



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. Pg Modified By: msc24

53767 DELUXE AIR SEAT



D5565A , Sears seat part No. SA30582.400


- 1 Adjustable backrest height provides customised comfort preventing damage from bad posture
- 2 Ergonomically sculptured back support for full range of movement
- 3 Fully adjustable armrests designed for easy angle adjustment on the move. These fully fold up & feature substantial foam padding for improved comfort when turning in the seat
- 4 Seat cushion extension 60mm (2 1/4 ") in 5 steps providing thigh support whatever your height
- 5 Swivel 24° rotational adjustment left and right with lock in, lock out, free swivel facility. Making it easier when driving, getting in and out of the seat or using a rear attachment
- 6 Seat cushion angle adjustment reduces pressure on the back of the knees
- 7 Low natural frequency Airide[®] suspension
- 8 Slide travel range 200mm Roller slides for smooth seat positioning
- 9 Infinite seat back angle adjustment
- 10 Armrest mounted air valve switch for simple and accurate finger tip control
- 11 Electric air lumbar support - the air lumbar support moulds itself to your back, quickly and exactly

53883 Compressor Service Kit 12V

53884 Air Spring Service Kit

SPECIFICATIONS

Back recline adjustment
Fabric cushions (pour in place)
Integrated backrest extension
Lumbar - electric
Seat cushion length adj
Seat cushion angle adj
Low Frequency Pneumatic (12v)
ARPS (auto ride position system)
Fixed shock absorber
Integrated fore/ aft isolator
Armrests - tilt up, angle + height adj
Swivel 24 deg
Dlx fore/ aft slides 200mm travel
Operator presence switch
Document holder
Supplied with multifix mounting kit
Seat cushion width 560mm
Width across armrests 645mm
Seat Index Point SIP
Weight Adjustment
Height Adjustment



msc25



MASSEY FERGUSON

61808 891870 61808 691870 61808 691870 61804 691870 61		l Also fits 185	Seat Lower Bracket
6993 x 1 61629 x 1 891870 x 1	TEA20 TED20 TE	F20 TO20 T20	Assembly 35 35X 135
	6742	181323	61530 Image: Second state of the second s
Seat Hinge for 35 135	61630 Example 25 35X 135	61632 Seat to Hinge Pin 35 61633 Seat to Hinge Pin 35	
1894548 Spring Seat 3495 Spring Seat FIAT	140mm 220mm 41768 Seat Passenger Fiat New Holland 90	61484 Internet of the second s	FORK LIFT SEAT 3107 Seat Fork Lift The base Vidth Adjustable Minimum = 200mm Maximum = 350mm



VINTAGE TRACTORS

MASSEY FERGUSON

61834 7962 61499 52844 Seat Cushion 20D Seat Pan 20D TVO Seat Spring TE 20 TEA 20 Base=200mm - Black **TED 20 TEF 20** 9 Hole Seat Bucket **Deluxe** Red MAJOR **FORDSON** 41329 51565 48825 41570 Seat Cushion & Back Rest Kit for Major **Has hump in cushion** 41329F Stud for Bucket Seat Seat Pan Fordson (Add 353426 (H904) Seat Cushion & Seat Spring Fordson N's Major - 22 Hole Nut t NAA/2000/8N/800 **Back Rest Kit for** *** ADD 353426 to this Major **This is Flat** item *** DEXTA 48824 41328 41602 41628 Seat Cushion & Back Rest Kit for Dexta 41328F Seat Cushion & Back Rest Kit for Dexta Seat Ford N's - 6 Holes Flat NAA 2000 8N 800 900 ** Seat Pan Ford Super Seat Bracket 48825 is Seat Spring * Dexta **Fordson** Dexta FORD 41904 41903 41621 41566





JOHN DEERE



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc28



MOD 15-09-16

Ver 5.0

Pg Modified By:

Date Modified:

Cab, Sheet Metal & Electrical

INTERNATIONAL





<image>

Approved By: Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc29



Gas Struts

Note:

Check Newton Rating Of Existing Gas Strut Before Ordering A Replacement. Using A Gas Strut With A Lower Or Higher Newton Rating Can Result In Damage Or Glass Breakage.

11766	Application	Models			
41766	Bonnet	8160, 8260, 8360, 8 TM130, TM135, TM			A 10mm
	Force (N)	Length (mm)	Ram (mm)	OE Ref	B
	500	900	400	82019392	10mm
41205	Application	Models			
41285	Rear window	3050, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095, 3115, 3120, 3125 3610, 3630, 3635, 3645, 3650, 3655, 3670, 3680, 3690			
i and	Force (N)	Length (mm)	Ram (mm)	OE Ref	- FIM
	250	785	350	3389556M2	M8 🗍
61285	Application	Models			
	3050, 3060, 3065, 3070, 3075, 3080, 308 Rear window 3095, 3115, 3120, 3125 3610, 3630, 363 3650, 3655, 3670, 3680, 3690				M8 B FI
	Force (N)	Length (mm)	Ram (mm)	OE Ref	EH
	250	785	350	3389556M2	M8 T
59821	Application	Models			
	Rear window	50 Series 40 Ser	ies		B
	Force (N)	Length (mm)	Ram (mn		M8
	150	735	324	AL35675	
			-	/ LESS 0/ S	
1514	Application Bear window	Models			A M8
	Application Rear window	Models 40 Series			M8
1514	Rear window Force (N)		Ram (mm)	OE Ref	
	Rear window	40 Series			M8
	Rear window Force (N) 150	40 Series Length (mm) 730	Ram (mm)	OE Ref	M8
	Rear window Force (N)	40 Series Length (mm)	Ram (mm)	OE Ref	M8
	Rear window Force (N) 150	40 Series Length (mm) 730 Models	Ram (mm)	OE Ref AL33170	M8 B M8 A
	Rear window Force (N) 150 Application Bonnet	40 Series Length (mm) 730 Models 6105R 6110R 61	Ram (mm) 320 15R 6120R 6125F	OE Ref AL33170	M8 B M8 M8 M8
	Rear window Force (N) 150 Application	40 Series Length (mm) 730 Models	Ram (mm) 320	OE Ref AL33170	M8 B M8 A
	Rear window Force (N) 150 Application Bonnet Force (N)	40 Series Length (mm) 730 Models 6105R 6110R 61 Length (mm)	Ram (mm) 320 15R 6120R 6125F Ram (mm)	OE Ref AL33170 R 6130R OE Ref	M8 B M8 A
	Rear window Force (N) 150 Application Bonnet Force (N)	40 Series Length (mm) 730 Models 6105R 6110R 61 Length (mm)	Ram (mm) 320 15R 6120R 6125F Ram (mm)	OE Ref AL33170 R 6130R OE Ref	M8 B M8 A
58905	Rear window Force (N) 150 Application Bonnet Force (N) 825	40 Series Length (mm) 730 Models 6105R 6110R 61 Length (mm) 710 Models	Ram (mm) 320 15R 6120R 6125F Ram (mm)	OE Ref AL33170 R 6130R OE Ref AL214868	M8 B M8 M8 A A B C A 10mm
58905	Rear window Force (N) 150 Application Bonnet Force (N) 825 Application	40 Series Length (mm) 730 Models 6105R 6110R 61 Length (mm) 710 Models	Ram (mm) 320 15R 6120R 6125F Ram (mm) 315	OE Ref AL33170 R 6130R OE Ref AL214868	



Gas Struts

Note:

Check Newton Rating Of Existing Gas Strut Before Ordering A Replacement. Using A Gas Strut With A Lower Or Higher Newton Rating Can Result In Damage Or Glass Breakage.


50004	Application	Models	A
58904	Bonnet	6130R 6140R 6145R 6150R 6155R 6175R 6195R 6215R 6130M 6135M 6140M 6145M 6150M 6155M 6170M 6175M	B
	Force (N) 750	Length (mm) Ram (mm) OE Ref 620 250 AL215748	
	Application	Models	
780167	Rear window	Renault 12-14 61-12 61-14 68-12 68-14 75-14 77-12 77-14 85-12 85-14 95-12 95-14 103-12 103-14 110-14	10mm
	Force (N) 150	Length (mm) Ram (mm) OE Ref 605 260 7700002848	10mm
	Application	Models	
780163	Rear window	Renault 781 781-4 781-4S 781S 851-4 851-4S 891 891-S 891-4S 951 951-4 981 981-4 981-4S 981S	8mm
	Force (N) 400	Length (mm) Ram (mm) OE Ref 600 265 7700002849	B 8mm
61951	Application	Models	A
	Rear window	5425-5480 6110-6190 6235-6290 6445-6499 7465-7495 8110-8180 8210-8280	B 710
Contraction of the second s	Force (N) 150	Length (mm) Ram (mm) OE Ref 585 255 3902140M1	M8
407119	Application	Models	
	Rear window	4635, 4835, 5635, 6635, 7635 5640, 6640, 7740, 7840, 8240, 8340 8160, 8260, 8360, 8560 L60, L65, L75, L85, L95 M100, M115, M135, M160 TL100, TL100A, TL70, TL70 A, TL80, TL80A, TL90, TL90A TM110-TM190, TS120, TS80, TL80 A -TL100 A	B B
Part I	Force (N)	Length (mm) Ram (mm) OE Ref	M8 T
	220	585 255 81865239	μ
780168	Application Rear Window	Models Ares 540, 546, 550 ,556, 566,610, 616,620, 626, 630, 636, 696 , 710, Ares 715 , 720, 725 , 735, 816, 826, Atles 915, 925, 926, 935, 936	A 10mm
	Force (N) 175	Length (mm) Ram (mm) OE Ref 565 240 7700044591	10mm
	Application	Models	A
53184			
53184	Rear window	3230 4210, 4220, 4230, 4240 844 955, 1055, 1255, 1455 856, 956, 1056 485, 685, 785, 885	10mm



Gas Struts

Note:

Check Newton Rating Of Existing Gas Strut Before Ordering A Replacement. Using A Gas Strut With A Lower Or Higher Newton Rating Can Result In Damage Or Glass Breakage.





Gas Struts

Note:

Check Newton Rating Of Existing Gas Strut Before Ordering A Replacement. Using A Gas Strut With A Lower Or Higher Newton Rating Can Result In Damage Or Glass Breakage.



msc33



Gas Struts Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



3943



8-18 Steel Eye for Gas Struts - All Gas Strut

Ball Joint 8-18 Steel - All Gas Strut

Roof Hatch Gas Strut Clip 390 390T 398 398T

6491

Approved By:



Gas Strut Bracket Ford Case John Deere Case 484 584 684 784 884 John Deere 1030 1040 1130 1140 1630 940



S Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.





Gas Struts Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

700470	Application	Models			A
780172	Door	55-12 F, 55-12 LB, 55 V, 70-14 F, 70-14 LB, i V , Dionis 110, 120, 1 Pales 210, 220, 230, i	80-12 F,80-12 V, 80- 30, 140 , Fructus 11	14 F, 80-14 LB, 80-14	10mm
	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	200	410	160	6005012542	10mm_
59681	Application	Models			A
	Back Window	UR1 Series 5211, 5245, 6211, 6245, 7211, 7245, 7711, 7745			10mm
All and a second se	Force (N)	Length (mm)	Ram (mm)	OE Ref	(/) B
0	200	400	151	60117921	10mm
1481	Application	Models			A
and the second se	Rear window	C & G Cabs			B B
3	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	140	395	150		M8
780166	Application	Models			
700100	Rear window	Renault 12-14 6 61-12 61-14 75- 70-14 80-12 80-	14 95-14 103-12		8mm B
	Force (N)	Length (mm)	Ram (mm)	OE Ref	
8 million	180	390	155	7700005276	8mm
2107	Application	Models	610 5610 6410 66	10 6710 6810 7410	A
Called and a state of the	Rear window	2610, 3610, 4110, 4610, 5610, 6410, 6610, 6710, 6810, 7410, 7610, 7710, 7810, 7910, 8210 8530, 8630, 8730, 8830 TW5- TW35 5900			B - 1
	Force (N)	Length (mm)	Ram (mn		
	160	375	150	83952213	M8
700170	Application	Models			A
	P.P. Starter				
780170	Rear Window	Cergos Series Cergos 330, Cerg 345, Cergos 350,		340, Cergos	10mm
/801/0		Cergos 330, Cerg	Cergos 355 Ram (mm)	OE Ref	B
/801/0	Rear Window	Cergos 330, Cerg 345, Cergos 350,	Cergos 355	-	
59770	Rear Window Force (N)	Cergos 330, Cerg 345, Cergos 350, Length (mm)	Cergos 355 Ram (mm)	OE Ref	B
	Rear Window Force (N) 300	Cergos 330, Cerg 345, Cergos 350, Length (mm) 370	Cergos 355 Ram (mm) 145	OE Ref 6005022224	B 10mm
	Rear Window Force (N) 300 Application	Cergos 330, Cerg 345, Cergos 350, Length (mm) 370 Models	Cergos 355 Ram (mm) 145	OE Ref 6005022224	A 10mm



Gas Struts Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

	Amplication	Madala	
3658	Application	Models	
	Rear window	UR1 Series, UR2 Series	8mm
AND REAL PROPERTY OF	neur mildon		
and the second se	Force (N)	Length (mm) Ram (mm) OE Ref	B D
g.	175	325 110 981468 175N EE	8mm
700164	Application	Models	A
780164			
	Sun roof	Renault 12-14 55-12 55-14 70-12 70-14 80-14	10mm
THE AVER A			B
	Force (N)	Length (mm) Ram (mm) OE Ref	10mm
	200	325 125 6005014318	TOITIIT
1332	Application	Models	A
			M8
	Rear window	135	<u> </u>
and the second se	Force (N)	Length (mm) Ram (mm) OE Ref	B
6	250	290 90	M8 📋
2.472		M. 1.1	
3672	Application	Models	
	Rear window	Duncan Cab - New Type	8mm
			o
and the second sec	Force (N)	Length (mm) Ram (mm) OE Ref	B
10 Martin	Force (N) 350	Length (mm) Ram (mm) OE Ref 285 95	B 8mm
2022		3 · · · · ·	
3933	350	285 95	
	350	285 95	
	350 Application Rear window	285 95 Models Leyland	8mm
3933	350 Application Rear window Force (N)	285 95 Models Leyland Length (mm) Ram (mm) OE Ref	8mm 8mm B
	350 Application Rear window Force (N) 300	28595ModelsLeylandLength (mm)Ram (mm)OE Ref28090	8mm
	350 Application Rear window Force (N)	285 95 Models Leyland Length (mm) Ram (mm) OE Ref	8mm 8mm B 8mm 8mm
	350 Application Rear window Force (N) 300 Application	285 95 Models	8mm 8mm B 8mm B 8mm
	350 Application Rear window Force (N) 300	28595ModelsLeylandLength (mm)Ram (mm)OE Ref28090Models	8mm 8mm B 8mm 5, A 8mm
	350 Application Rear window Force (N) 300 Application	285 95 Models	8mm 8mm A 8mm B 8mm 5, B M8 B
	350 Application Rear window Force (N) 300 Application Door	285 95 Models Leyland Length (mm) Ram (mm) OE Ref 280 90 Models 240, 250, 265, 275, 290 350, 355, 360, 362, 365, 375, 390, 390 T, 398, 399	8mm 8mm B 8mm 5, A 8mm
6389	350 Application Rear window Force (N) 300 Application Door Force (N)	285 95 Models Leyland Length (mm) Ram (mm) OE Ref 280 90 Models 240, 250, 265, 275, 290 350, 355, 360, 362, 365 240, 250, 265, 275, 290 350, 355, 360, 362, 365 375, 390, 390 T, 398, 399 Length (mm) Ram (mm) OE Ref	8mm 8mm B 8mm 6, B M8 B
	350 Application Rear window Force (N) 300 Application Door Force (N) 290	285 95 Models Leyland Length (mm) Ram (mm) OE Ref 280 90 Models 240, 250, 265, 275, 290 350, 355, 360, 362, 365 240, 250, 265, 275, 290 350, 355, 360, 362, 365 375, 390, 390 T, 398, 399 Length (mm) Ram (mm) OE Ref 275 85 3478319M1	B B B B B B B B B B B B B B B B B B B
6389	350 Application Rear window Force (N) 300 Application Door Force (N) 290	285 95 Models Leyland Length (mm) Ram (mm) OE Ref 280 90 Models 240, 250, 265, 275, 290 350, 355, 360, 362, 365 240, 250, 265, 275, 290 350, 355, 360, 362, 365 375, 390, 390 T, 398, 399 Length (mm) Ram (mm) OE Ref 275 85 3478319M1	B B B B B B B B B B B B B B B B B B B
6389	350 Application Rear window Force (N) 300 Application Door Force (N) 290 Application Door	285 95 Models	B B B B B B B B B B B B B B B B B B B
6389	350 Application Rear window Force (N) 300 Application Door Force (N) 290 Application Door	285 95 Models Leyland Length (mm) Ram (mm) OE Ref 280 90 Models 240, 250, 265, 275, 290 350, 355, 360, 362, 365 240, 250, 265, 275, 290 350, 355, 360, 362, 365 375, 390, 390 T, 398, 399 Length (mm) Ram (mm) OE Ref 275 85 3478319M1 Models Models Eength (mm) Series Length (mm) Ram (mm) OE Ref OE Ref 275 85 3478319M1 OE Ref Models G000 Series 6010 Series OE Ref OE Ref	8mm 8
6389	350 Application Rear window Force (N) 300 Application Door Force (N) 290 Application Door	285 95 Models	8mm 8



Gas Struts Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

2835	Application	Models			A
	Front window	2910, 3610, 391	0, 4110, 4610, 5	610, 6610, 7610	6.2mm
And the state of the		Longth (mm)	Dam (mm)	OE Ref	B
	Force (N) 100	Length (mm) 255	Ram (mm) 90	83944280	M8 🛱
	100	233	90	05944200	
	Application	Models			A
780171			os 335, Cergos 34	0, Cergos 345,	
	Door	Cergos 350, Cerg Fraos 105, Fraos	os 355 446 Hydro, Ergos	456 Hydro, Fraos	10mm
105 D 100		466 Hydro, Ergos		,,,	B
	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	200	255	95	6005014361	10mm
52091	Application	Models			
52051		CX100, CX50, CX6		(00 5120 5120	
	Door			(90 5120, 5130, 10, MX120, MX135,	M8
Pite 14 P		MX150, MX170, N			
201	Force (N)	Length (mm)	Ram (mm	n) OE Ref	B (
	350	250	77	1977416C1	M8 👚
	Application	Models			
59664	Application		0 Forios 7020 Fo	vriac 6020	
	Door	5020 Series 603 Premium Series			∰ M8
A MARTIN AND		Series			
A CONTRACTOR	Force (N)	Length (mm)	Ram (mm) OE Ref	B
Gard	350	245	70	AL174358	M8 🛱
	Application	Models			Α
42772	Application	T6010, T6020, T60)30, T6040, T6050,	T6060, T6070,	
	Steering	T6080, T6090 T70)30, T7040, T7050,	T7060, T7070	10mm
	column	TS100 A, TS110 A, A	, TS115 A, TS125 A	, TS130 A, TS135	
	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	350	235	70	82036016	
	Application	Models			Α
59952	Application	MOUEIS			
	Steering	5020 Series 6000			10
This side of	column	Series 6020 Series	6030 Series 5R	Series	10mm
	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	330	230	65	AL150755	
61950	Application	Models			A
				5, 5470, 5480 6110	- #*M8
and the second se	Door	6190 6235-6290 8210-8280	6445-6499 7465	-7495 8110-8180	
Contraction of the local division of the loc					B
1	Force (N) 600	Length (mm) 230	Ram (mm) 70	OE Ref 3902121M3	M8
- TO	000	230	70	J7UZ I Z I IVIJ	



Gas Struts Note: Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

2699	Application	Models			
	Sun roof		830 5640-8340 8160 90-TS115 TW5- TW35		8mm
	Force (N)	Length (mm)	Ram (mr	n) OE Ref	
Cart of the second seco	220	220	65	83949895	
52215	Application	Models	90, 1490, 1690 1 ⁻	194, 1294, 1394,	8mm
Dist and d	Sun roof	1494, 1594, 169	94		B
0	Force (N)	Length (mm)	, ,	OE Ref	8mm
	330	220	67	3901826M91	
41767	Application	Models			
41767	Door		7840, 8240, 8340 8 115, TM120, TM125,		M8
Contraction of the second		TM140, TM150, TM TS100, TS110, TS1			B
C. C	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	310	215	57	87378324	M8
43532	Application	Models			A
and the second se	Door	T6050 T6060 T607 TS100A TS110A TS			
	Force (N)	Length (mm)	Ram (mm) 0	DE Ref	B
	850	215	115 8	37374182	
	Application	Models			
4715	Door/Sun roof	7610, 7710, 7810, 2		10, 6710, 6810, 7410, 30, 3930, 4630, 8530, TW5 5900	M8
Cash and a second	Force (N)	Length (mm)	Ram (mr	n) OE Ref	B
	300	210	55	83952266	M8 🗄
					<u>Ψ</u>
43471	Application	Models			A (
an train	Door	CASE CS CVX			10mm
6	Force (N)	Length (mm)	Ram (mm)	OE Ref	
	500	205	65	134621099	
					10mm
780169	Application	Models			A
	Door	Ares 610 RX, Ares 61 Ares 630 RX, Ares 63	10 RZ, Ares 616 RX, Ar 30 RZ, Ares 636 RX, Ar	es 556 RX, Ares 566 RX, es 620 RZ, Ares 626 RX, es 640 RZ, Ares 696 RX, es 735 RZ, Ares 735 RZ,	10mm
		Ares 816 RZ, Ares 82	26 RZ, Ares 836 RZ	es 725 RZ, Ares 735 RZ, OE Ref	B
	Force (N) 200	Length (mm) 187	Ram (mm) 55	7700059809	10mm
	200	10/	J	1100039009	
MOD 15-09-16 Ver 5.0 Pq Modified By: Date Modified:	Approved By: Origina	al equipment manufacturer na	ames and part numbers are	quoted for reference purposes	msc39


Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.



53358

Beacons







Beacon 12-80v Mini Xenon



Beacon John Deere 12v Flexi Stem Small Stem Lucas Type

Beacon 12v Flexi

51321



Beacon LED Flexi 12/24V

** USE 53855 WHEN STOCK GONE **

43190K Beacon Work Lamp Bracket Kit Left Side	53857 Beacon Kit		43592 Beacon Kit T6.120 - T6.175 T6010 -
Kit includes: • Beacon Bracket Assembly • Work Lamp 8 LED 24W Flood 1920 Lumen • Flexi Beacon 43501K- Right Hand Kit Brackets	Includes: Beacon, Bracket, W Switch	/iring, Fuse &	Beacon Kit 16.120 - 16.175 16010- T6090 T7.170 OE Ref: 710762034 Includes: Beacon, Cable Connections, Bolt Fixing Set, Beacon Pole, Brackets
51388 5138 Beacon Bracket Brac	ket Angled for 51388 con Bracket 42 43 61		43190 Beacon Bracket Assembly Ford 56 6640 7740 7840 8240 8340 LH 43501 Beacon Bracket Assembly Ford 56 6640 7740 7840 8240 8340 RH
3686 5103 Beacon Bracket Adjus	on Bracket	3680 Beacon Plug	51417 Beacon Bracket John Deere
51422 Beacon Bracket State Brack	on 🕅	3687 Beacon Bracket	51421 Beacon Bracket Adaptor



Dash Cams



HASSLE FREE INSTALLATION – PLUG IN AND YOU'RE READY TO GO

AUTOMATICALLY TURNS ON WITH ENGINE START & OFF ON ENGINE STOP

LOOP RECORDING CONTINUOUSLY CAPTURES FOOTAGE, CHOOSE TO LOCK THE ONES YOU WANT TO KEEP

Batteries Included - Type: RECHARGEABLE

53915 HD DASH CAMERA 1.5" DISPLAY





53916 HD DASH CAMERA 2.7" DISPLAY

Includes number plate entry for recording Vehicle Details Into Each Video





53917 DASH CAM 2.0" DISPLAY

1080 Pixels GPS ModelFull HD & Superior Low Light Performance





LED WORKLAMPS

Up to **Twice** the Lumen Strength of any other LED on the market.

53272	COTTA L	53272	
		Watts	35W Flood
	Distance in the second s	Volts	12/24
16 LED		Body Material	Aluminium
3200 LUMENS		Conformity	IP67
SZOO EOMENS		Size mm	W: 115 H: 115 D: 65










LED WORKLAMPS

Up to Lumen Strength of any other LED on the market.







53433		53433	
33435	at the way to	Watts	24W Flood
		Volts	12/48
8 LED		Body Material	Aluminium
1920 LUMENS	1.10	Conformity	IP67
		Size mm	W: 140 H: 95 D: 70
	"		

53434	53434	
55454	Watts	24W Flood
	Body Material	Aluminium
8 LED	Size mm	W: 150 H: 90 D: 90
1920 LUMENS	Side Mounted	



Work Lamps





Work Lamps

61634

Switch 3000 Front Work Lamp



61635 Switch 4200 - 8200 Front Work Lamp



61644

Switch 4200 - 8200 Rear Work Lamp



7282 Switch Work Lamp Fiat







Trailer Lights

Part No.	Description		Lens
1571	Trailer Lamp Round 12v		2586
53098	Trailer Lamp Rubber	GO	53153
3782	Light Guards		
53104	Trailer Lamp Radex 3900 LH		53106
53105	Trailer Lamp Radex 3900 RH		53107
53738	Right Hand Rear Light Radex 2800 6 Function Features: 5 pin quick fit connector socket & marker power socket Functions: Stop/Tail/Indicator/ Number Plate/Fog/Reflex Triangle Bulbs included Size 148 x 245 x 60		53408
53739	Left Hand Rear Light Radex 2800		53737

Plug Trailer Harnesses



msc46



Date Modified: 22-May-2014



Accessories



Cables & Core

Part No.	Description	Туре	Core	Length	Photo
1355	Suzy Cable c/w Plastic Plug 2.5mtr	Male/Male	7	2.5 M	
53888	Suzy Cable 1.5mtr			1.5mtr	
51032	Suzy Cable 5 mtr Male/Male 7 Core	Male/Male	7	5 M	9
51033	Suzy Cable 7 Core Male/Female 7 mtr	Male/ Female	7	7 M	Ø
2652	Pre Wired Socket & 1.5 Mtr Cable		7	1.5 M	

EASY FIT WIRING SYSTEM



Approved By: Ver



EASY FIT WIRING SYSTEM






51987 Rear Lamp LED 3 Function - Pack of (2) 12volt



LEDKIT1

- Trailer Basic LED KIT Max Dimensions 23 ft x 7 ftKit Includes:
- Rear Lamp LED 12V PAIR
- Cable 3.2ft / 1 M c/w Trailer Plug
- 24ft / 7.3 M Chassis Cable
- 2.1 Light To Light Cable



Marker Lamps 💷



Part No.	Size
53257	Amber
53258	Red
53259	White

Angled Rubber Marker Lamps



(LED)



Marker Lamps



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. Pg Modified By: AD Date Modified: 14/03/2014 Approved By: AC Ver 5.0



Combination Lamps







Side Marker Lamps LED 10/30 Volt



	73mm		
		Part No.	Size
57mm		51988	Amber
371111		51989	Red
I		52813	White

Marker Lamps with Brackets 2 Bare Wires 110mm x 64mm x 25mm



Part No.	Size
51927	Amber
51928	Red
51929	White

53099 Side Marker Lamp Trailer LED



53100 Bracket to Suit Side Marker Lamp 53099





52880 Side Marker Lamp Rubber LED 12V

101mm x 82mm x 66mm



Angled Rubber Marker Lamp

51923 RH 12/24 V

51924 LH 12/24 V 193mm x 169mm x 66mm







Combination Lamps

53240 Lamp Trailer LED Stop Tail Indicator **51990** Rear Lamp Round LED 140mm



53622 Rear Lamp Combination LED



53752 Rear Lamp LED 12V Pair Large 200mm x 90mm





SINGLE POLE



3457 Socket Single Pole 12 Volt 15 Amp



6616 Plug Single Pole 12V/15A for Power Point





4 PIN



<u>7 PIN</u>







52611 Socket 4 Pin





3444 Trailer Socket 7 Pole Aluminium



3445 Plug 7 Pole Aluminium



51165 Trailer Socket & Plug 7 Pole



1224 Rubber Sealing Gasket 7 Pin Socket

13 PIN



53911 Trailer Socket Male - 13 Pin



53913 Trailer Socket Female 13 Pin



53914 7 Pin to 13 Pin Plastic Socket





53912 13 Pin to 7 Pin Plastic Socket





Trailer Jockey Wheels & Parts

Trailer Jockey Wheels



msc56 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.



Trailer Parts

Trailer Heads

Part Number	Description	Weight	Shaft	Photo
51143	Trailer Head Double Lock - 4 Bolt	1.5 Ton	Bolt on top	
51141	Trailer Head 750kg Old Type	1.7 - 2.7 Ton	Bolt on top	
51268	Trailer Head 2.7 Ton 50mm X 48mm	2.7 Ton	50mm X 48 mm	
51453	Trailer Head for 51458 - 60mm Shaft	3.5 Ton	60mm X 60 mm	
51458	Auto Head Reverse Hitch 3500 Kgs	3.5 Ton	Bolt on top	

51124

51123

Grommet Trailer Bellow 1.7 -

2.7 kg for 51457

51625

Coupling for

50mm box section

51159



Trailer Bellow 3.5 Ton

Quick Link Chain

Part No.	Size (mm)
53042	6
53043	8
53044	10
53045	12
53046	14



D Shackles & Pins

Part No.	A (mm)	B(mm)
2550	б	11
2551	8	18
2552	10	19
2553	11	20
2554	12	22
2555	16	35
2556	20	38
2557	22	40
2558	25	45





Snaphook & Safety Lock 7 x 70mm

51633 Drawbar Spring Rating 14 Tonne



msc57



Trigger & Spring Kit for 51141

Trailer Parts




Hitch & Tow Hitch Parts





Drawbar Locks



Trailer Parts


Axle

Hub Caps

Part Number	Description	Hub Size
51429	Hub Cap	72mm
51467	Hub Cap	90mm
51574	Hub Cap	100mm
51428	Hub Cap for F90L410	110mm
51575	Hub Cap New Generation	120mm
51809	Dust Cap Stub Axle= 51452	50mm
51459	Retainer Ring for Stub Axle 35mm 4 Stud	




Stub Axles



Bearings

52380

Wheel Bearing Ifor Williams One Piece OD 76mm ID 42mm Depth 39mm CT HB DP GD LM LT TA TT



18590/20

Trailer Bearing Ifor Williams







Nuts & Bolts

Wheel Nuts

Wheel Studs

Part No.		Size		Part No.	Part No.	Part No. Size
51438		M12		51157	51157	51157 M12
51455	Conical	M16		51158	51158	51158 M16
51436	For Stub Axle	M20	0	51432	51432 For Stub	51432 For Stub M20
51437	For Braked Stub	M22	0	51434	51434 For Braked Axle	
51156		3/8″		51456	51456	51456 3/8"

51435

Wheel NutM18Chrome for Stub18mm



51433

Wheel Stud forM20Dual Wheel 20mm



Conical Washer



Conical Washer 20mm

Suspension



Springs








Spring Ifor Williams Double Leaf ** 12.5mm hole **



Trailer Spring 3 Leaf







Trailer Spring 4 Leaf

Trailer Spring 5 Leaf

Spring - 7 Leaf

Eye Bracket & Bolt



Leaf Spring Bracket & Bolt Suspension Unit



U Bolt c/w Plate



Suspension Units





Trailer 350kg Suspension Unit Per Pair 4" PCD Hubs 4 Stud Grease Nipples



Trailer 750kg Suspension Unit Per Pair 4" PCD Hubs 4 Stud Grease Nipples

51828



Mudguard Flaps

Part No.	Description	Size (mm)	Qty.	
2969	Mudguard Flaps	350	Pair	Ν
402947	Mudguard Flap Ford 7840 8240 8340 380mm PAIR	380	Pair	6
2968	Mudguard Flaps	400	Pair	4 6 P
402948	Mudguard Flaps. Ford 7840 8240 8340	470 480	Pair	1
2959	Mudguard Flaps	540	Pair	N
2960	Mudguard Flaps	600	Pair	1



Wheels



Wheel Rim c/w 165 x 13 Tyre (4 Stud) 5.5 pcd

51635



Wheel Rim Complete & Tyre 13" 6.5 pcd 195-50-13 lfor Williams trailer (underbody) - 5 Stud





Wheel Rim Complete c/w Tyre 145 X 10 Suits 51135 & 51828



Trailer Parts

Trailer Parts



Spring Bolts

53657	Ø 10mm
53658	Ø 12mm
53659	Ø 16mm
53660	Ø 19mm
53661	Ø 22mm



2547

Spring Bolt Small

Ø 13mm






msc64

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. Pg Modified By:






Part Number	Description	Qty	A	В	Photo
51100	Brake Shoe for Ifor Williams 6"	Set of 4	170mm	50mm	
51295	Brake Shoe Set 8" Suits auto reverse system	4 Pieces 2 Pairs	200mm	50mm	
51171	Brake Shoe (Pair)	4 Pieces 2 Pairs	203mm	40mm	
51294	Brake Shoe Set 10″	4 Pieces 2 pairs	250mm	40mm	


Trailer Parts



Brake Cables







msc67



Straps And Winches

5099 5059 5077 53372 Cargo Strap 5 Cargo Strap 5 Cargo Strap 3 Ton x 5 mtr Cargo Strap 5 Ton Ton x 10 mtr Ton x 12 mtr x 8 mtr 51910 51911 51912 51913 Engine Sling 2 Ton x 2 Metre Engine Sling 2 Ton x 3 Metre Engine Sling 2 Ton x 4 Metre Engine Sling 3 Ton x 5 Metre Web Type Web Type Web Type Web Type **Brake & Clutch Fluid** 2445 2355 4611 2448 Trailer Brake Ram Cylinder 25mm 285mm centres 70mm Stroke with Internal Return Spring Brake Hydraulic Oil Brake & Clutch Fluid Brake & Clutch Fluid 1Ltr LHM Mineral Dot4 1 Ltr 5 Ltr. 1545 51236 1353 Trailer Brake Ram Spring for 1545 Strap Winch 500Kg (6MTS c/w Bracket Brake Ram STRAP) **Valves** 61254 Trailer Brake Valve Repair Kit - 16mm SealFits 300 600 3000 5400 6100 6200 8100

msc68

Pg Modified By: Date Modified: Approved By:

Ver 5.0 MOD 15-09-16

		e Rep		No. of Pages: A/C Number:			
	From:		e-mail				
		No.:					
Please quote for the following parts - Quotation Number :							
			ollowing order on Que				
		ease supply the follo					
	2ty	Part No.	Description		Unit Pric		
1.							
2.							
3.							
4. 5.							
6.							
7.							
8.							
9.							
10.							
11.							
12.							
13.							
14.							
15.							
16.							
17.							
18.							
19.							
20.							
21.							
22.							
23. 24.							
\geq		I					
	nments	i					
•		Signature:					

Page

]of∣



Bulbs



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. msc70

Pg Modified By: MMcD Date Modified: 15-08-2014 Ver 5.0



msc71



Electrical Cable

Part No.	Description	Unit	View
	Description	20 mtr roll	View
1810R	4.8mm x 2.4mm Heat Shrink	20 mtr roll	
1811	6.4mm x 3.2mm Heat Shrink	mtr	
1811R	6.4mm x 3.2mm Heat Shrink	15 mtr roll	
1812	9.5mm x 4.8mm Heat Shrink	mtr	
1812R	9.5mm x 4.8mm Heat Shrink	15 mtr roll	
1813R	12.7mm X 6.4mm Heat Shrink	10 mtr roll	
1814	19.1mm x 9.5mm Heat Shrink	mtr	
1814R	19.1mm x 9.5mm Heat Shrink	10 mtr	
1141	Blue Heat Shrink Butts (Suitable for Cables 1.5mm ² - 2.mm ²)		
1142	Yellow Heat Shrink Butts (Suitable for Cables 3.0mm ² - 6.0mm ²)		Contraction of the second



Electrical Cable 1 Core Cable





Cross Section

Part No	Thickness (mm)	Length (Mtr)	Colour
51161BK	4.5	10	Black
51161	4.5	10	Red
51161Y	4.5	10	Yellow
3380BK	4.5	30	Black
3380BR	4.5	30	Brown
3380R	4.5	30	Red
3380Y	4.5	30	Yellow

2 Core Cable (Round Twins)



Part No	Thickness (mm)	Length (Mtr)	Colour
51162	2 x 1	10	Black Round
51963	2 x 4.5	30	Black Round
51964	2 x 4.5	10	Black Round

2 Core Cable (Flat Twins)





Cross Section

Part No	Thickness (mm)	Length (Mtr)	Colour
3637R	2 x 2	30	Black Flat
51961	2 x 4.5	10	Black Flat
51962	2 x 4.5	30	Black Flat

3 Core Cable

msc72





Cross Section

Pg Modified By:

Date Modified:

Part No	Thickness (mm)	Length (Mtr)	Colour
51845	3 x 3	10	Black

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Clips



 51758
 P Clips 4.8mm

 51759
 P Clips 6.4mm

 51760
 P Clips 7.9mm

 51761
 P Clips 9.5mm

 51837
 P Clips (pack of 60)

Armour Cables



62691 Armour Cable TE20 - 10 Mtr Roll Inner Diameter 14mm

Wire Strippers



Wire Stripper

Approved By:

Ver 5.0 MOD 15-09-16



Electrical Cable 4 Core Cable





Cross Section

Part No	Thickness (mm)	Length (Mtr)	Colour
2629R	4 x 1	30	Black
2629M	4 x 1	100	Black
51846	4 x 3	10	Black

7 Core Cable





Cross Section

Part No	Thickness (mm)	Length (Mtr)	Colour
1053R	6x1 1x2	30	Black
51164	6x1 1x2	10	Black

13 Core Cable



Cross Section

Part No	Thickness (mm)	Length (Mtr)	Colour
53909	8 x 1.5 5x 2.5	10	Black
53910	8 x 1.5 5x 2.5	30	Black

Battery Cable



Part No	Thickness (mm)	Length (Mtr)	Colour
2631	50	10	Black
2636	50	10	Red

Cable Connectors



Cab, Sheet Metal & Electrical



Terminals





Radio Fuses

Glass Fuses

Ceramic Fuses

1074	1 Amp	Radio Fuse
1075	2 Amp	Radio Fuse
1026	4 Amp	Radio Fuse
1087	5 Amp	Radio Fuse
1099	10 Amp	Radio Fuse

	25 an 2 2 2 2	25 amp
2928	10 Amp	Glass Fuse
2929	15 Amp	Glass Fuse
2640	20 Amp	Glass Fuse
1939	25 Amp	Glass Fuse
2641	30 Amp	Glass Fuse
2642	35 Amp	Glass Fuse
2644	50 Amp	Glass Fuse



1935	8 Amp	Ceramic Fuse
1357	16 Amp	Ceramic Fuse
1388	25 Amp	Ceramic Fuse

Glass Fuse- Pack

51285



Fuses Assorted Pack Glass (25 pcs)

Strip Fuses

	-	
52923	30 Amp	
52924	40 Amp	
52925	50 Amp	
52926	60 Amp	
52927	80 Amp	

Mega Fuses

52929	100 Amp	Yellow
52930	125 Amp	Green 💴
52931	150 Amp	Orange 💴 🧾
52932	175 Amp	White 💴 🔍
52933	200 Amp	Blue 🔽
52934	225 Amp	Brown 💴
52935	250 Amp	Pink

Blade Fuses

2156	7.5 amp	Brown	
2159	10 amp	Red	
2174	15 amp	Blue 🏅	
2160	20 amp	Yellow	
3612	30 amp	Green	



Fuse Blade & Tool Kit 93pcs Includes Tester and Removal Tool

Ver 5.0



Fuses 10 per pack Assortment



Pg Modified By: D

Date Modified: Approved By: Ori

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc75



Fuse Holders







Fusebox 4 Way Complete



Fusebox 6 Way Complete



Fusebox 6 Bank

8 Way Complete



53763 Fusebox With Cover Negative Busbar



Fusebox 8 W Complete



62712



Fusebox 13 Way

Fusebox 14 Way

Fusebox 15 Way

Assembly Cables













Battery Cables



C BERRICH

51603

2000

51598 Battery Strap 400mm c/o Terminals

2000

51602

51954 Battery Strap 400mm - No Terminals



Terminals

40mm ² 50mm ² Cable		
8mm Hole 10mm Hole		
53773 Swage On	2811 Swage On	
53771 Open End	53770 Open End	

60mm ² 70mm ² Cable		
8mm Hole 10mm Hole		
53772 Swage On	51010 Swage On	
2926 Open End	2927 Open End	

2636

Battery Cable 10 Mtr Roll 50mm Sold By Roll.



2631

Battery Cable 10 Mtr Roll 50mm Sold By Roll.



msc80



Battery Terminals

52936	Battery Terminal Stud & Nut 17x10mm	Positive
52937	Battery Terminal Stud & Nut 17x10mm	Negative
52938	Battery Terminal Stud & Nut 30x10mm	Positive
52939	Battery Terminal Stud & Nut 30x10mm	Negative
1013	Battery Terminal	Negative
1014	Battery Terminal	Positive




Battery Terminal Stud & Nut

3282 Battery Terminal Bolt Assembly Heavy Duty



Battery Terminal





3875 Cut Off Isolation Switch Amp Heavy Duty



3875E Cut Off Isolation Switch Amp Heavy Duty



51984 Cut Off Isolation Switch Battery Emergency



2303 Cut Off Isolation Switch Lucas - Up to 165



2923 Cut Off Isolation Switch -Heavy Duty



Cab, Sheet Metal & Electrical



Relays



msc82

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

AD

Approved By: Ver 5.0

GR

MOD 15-09-16







Switches

Deutz, Fendt, Hurliman, Lamborghini, Renault, Same



53631 Switch Light Work Deutz Fahr Fendt Hurliman Lamborghini Renault SAME Push Push



53632 Switch Light Rear Side Fendt Hurliman Landini Renault SAME Push Push



53633 Switch Light Front Side Hurliman Lamborghini SAME



52278 Switch PTO Command Case IH Deutz Fendt Hurliman Lamborghini SAME Push Release



Switch PTO Command

Fendt Deutz Renault Push



53638 Switch Hazard Hurliman Lamborghini SAME Renault Push Push



53634 Switch Beacon Hurliman Lamborghini Renault SAME Push Push



53637 Switch Engine Stop Hurliman Lamborghini SAME Push Push

Deutz

680085

Push



53626 Switch Side Rear Light DX DX4 DX6 DX7 Series Push Push



53630 Switch Light Front Side Deutz Agroprima Agroxtra DX DX3 DX4 DX6 DX7 Push Push

Deutz, Valmet, Fendt



53627 Switch Light Parking Deutz Valmet Fendt Farmer 200 300 Favorit 600 Push Push



52282

Bulb Housing Case CS100 CS110 CS120 CS130 CS150 CS48 CS52 CS58 CS63 CS68 CS75 CS78 CS86 CS94 9100M 9105 9115 9125 9145 M9078 M9086



52281

Switch Housing Case CS100 CS110 CS120 CS130 CS150 CS48 CS52 CS58 CS63 CS68 CS75 CS78 CS86 CS94 9100M 9105 9115 9125 9145 M9078 M9086



Cab, Sheet Metal & Electrical

Renault



780224 Switch Hazard Renault Push Push



780223 Switch Starter Renault Push Release

Fendt



53629 Switch Beacon Fendt Push Push

Case, Steyr



680084 Switch Light Work Fendt 520 522 524 Case C42 C48 C55 C64 C70 Push Push

Valmet, Same, Fendt



53639

Switch Lift & Lower Valmet 505 605 705 805 900 255 355 455 555 655 755 855 365 465 565 665 865 A75 A85 A95 Fendt SAME

General Purpose



53635 Switch PTO Command Push Push



52279

53641 Switch PTO Command Push Release



Switch Hoisting Up Case CS100 CS110 CS120 CS150 CS48 CS52 CS58 CS63 CS68 CS75 CS78 CS86 CS94 CS48 Steyr 9100M 9105 9115 9125 9145



53628 Switch PTO Command Push Push



52277 Switch Hazard Massey Ferguson Case IH Deutz Fendt Steyr Push Push




53640 Switch Horn Push Release



52280 Switch Horn Push Release Ferguson 3000 3600 Push Release



Switches





Fan Cab Blowers



Fan Cab Blower Case Magnum MX STX Also fits New Holland T8 T9 TG






Fan Cab Blower Case XL Maxxum Maxxum 5120 5130 5140 5150



Fan Cab Blower Case CX MX CX 50 60 70 80 90 100



Fan Cab Blower 3000 6100 5400 6200 8100 Also fits 8200 Fan Cab Blower 300



Cab Blower Ford 40 60 TM TS Also fits Case JX MXM Fan Cab Blower Ford TS T6 T7 Maxxum 100 110 115 120 130 140 MXU MXU 100 110 115 125 130 135 Fan Cab Blower John Deere 40 50 10 SG2 Cab 11 Series Combine SG2 Cab



Cab, Sheet Metal & Electrical



Gauges



3458



Oil Pressure Sender Unit





Oil Pressure Sender Ford 8 Bar

Temperature Senders



	Date: Name of the Rep		No. of Pages:				
Name of			A/C Number:	A/C Number:			
From:			e-mail Fax No.:				
Phone N	0.:						
	Please quote for the fo	llowing parts - Qu	otation Number :	Number :			
	I wish to confirm the f	ollowing order on	Quotation Number:	uotation Number:			
	Please supply the follo	wing parts:					
Qty	Part No.	Descriptio	n	Unit Price			
		Descriptio					
2							
3.							
4.							
5.							
5.							
7 <u>.</u>							
3.							
).							
10.							
11.							
12.							
.3.							
14. 15.							
16.							
17.							
18.							
.9.							
20.							
21.							
.2.							
23.							
24.							
Comme	nts:						
•							

Tel No: + 353 44 934 1638 e-mail: info@qtponline.com, www.qtponline.com

Page ____ of ____

msc89

Cab, Sheet Metal & Electrical PLEASE NOTE: Use QTP Thinners Only. Follow directions on tin. Hand brush or spray Hardens to an OEM Finish No colour variance For a Professional Finish TR7000 **Choose Paint TR1488** 1 Ltr Thinners 1 Ltr Clear Spray or Brush Lacquer **Mixing Ratio** Tough Choose Durable & Paint:Thinners From a wide easy to use range of colours 9:1 or 10:1 MASSEY FERGUSON FORD 1200TR 35 4 Cylinder Gold **TR2440 Fordson Empire Blue TR3488 Fordson Orange** TR1001 35 4 Cylinder Red Ford Tractor Blue TR1182 TR1180 35X Ferguson Grey 6616TR New Holland Chassis Grey TR1187 Massey Ferguson Red TR1071 Ford Grev New Holland Ford Blue TR1196 TR1181 MF 100s Silver Mist TR1221 New Holland Grey White for Wheels TR1265 Massey Ferguson Flint Grey TR1399 Stoneleigh Grey

- **TR1116** Transmission Brown / Charcoal Grey
- TR1000 42 Series Chassis Black
- TR1002 Massey Ferguson 42 54 Red (New Red)
- TR1004 42 Series Silver Mist
- TR1179 Smoke Grey
- TR1222 NH Driveline Grey New Cab
- TR1225 Massey Ferguson Light Grey Pain
- 1191TR Light Grey

RENAULT

TR6615Renault GreyTR6611Renault Orange

EXTRA

SAME

TR5501 Same Blue

53208

Grey Primer Wheel Spray 500ml Can **53207** Silver Paint Wheel Spray 500ml Can TR1060 53210 Black Paint Wheel Spray 500ml Can

FIAT

TR3130

3487TR

4188TR

TR3131

TR3132

TR1162

TR2134

TR1065

FENDT

LANDINI

JOHN DEERE

Fiat Brown

Fiat Orange

Fiat Cream

Fiat Opal White

Fiat Terracotta Brown

John Deere Green

John Deere Yellow

Landini Blue

Fendt Green

53209 High Gloss Black Paint Wheel Spray 500ml Can



Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. Pg Modified By: Date Modified: Approved By:

Ver 5.0 MOD 15-09-16



Cab, Sheet Metal & Electrical

P A	RACTO INT a Professio	Hand Harde No co	brush or spray ns to an OEM F lour variance Finis	inish Use QTP T Follow di	E NOTE: hinners Only. rections on tin.
TR115	a simer 1 Litre	397 ff Primer ndercoat	INDUST	TR1955	
TR1163 TR1231 TR4703 TR3489 TR1184 TR1184A	IHC Off-White Wheels International Red Case/IHC Red New Red David Brown Hunter Pink David Brown Orchid White David Brown Power Red		TR1520 TR1003 TR1185 TR1198 TR1115	Old Hitachi Orange New Hitachi Zaxis C Industrial Yellow New JCB Yellow New Holland Clayso	
Deutz TR6617 TR6618 ZETOR TR1193 TR1183 TR1189	Deuta Green Deuta Green Zetor Grey Zetor Red Zetor Chassis Green		TR1160 TR1192 TR1194 TR1195 TR1253 TR2393 TR2396	New Ford Yellow Komatsu Yellow New Holland Yellow Senator Lime Greer Rotavator Orange Case Brown New Cat Yellow	59633 JD Green Spray Can Aerosol 400ml
LEYLAN TR1190 TR1190A WHITE TR2175 TR1109 TR1420	ND Leyland Light Blue IHC / Leyland Dark Blue /BLACK Matt Black Gloss Black White		TR2401 TR2447 TR3684 NUFFIE TR3490	Case Tan Kvernland Green Land Rover Blue LD Nuffield Orange/Red	59623 JD Yellow Spray Can Aerosol 400ml


ed: Approved By: O

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc91

Brakes, Linkage & Hydraulics







Hydraulic Top Links

2 8 ⁰	53458			
	Min Length	470mm	Cylinder ID	50mm
	Max Length	680mm	Piston Rod Diameter	30mm
Complete With Ho & Anti-Creep Valve	e Ram Stroke	210mm		
	5 3459			
	Min Length	540mm	Cylinder ID	50mm
	Max Length	820mm	Piston Rod Diameter	30mm
Complete With Ho & Anti-Creep Valve	se	280mm		I
800	53460			
	Min Length	430mm	Cylinder ID	50mm
0	Max Length	590mm	Piston Rod Diameter	30mm
Complete With Ho & Anti-Creep Valve		160mm		
	53461			
	53461			50
	Min Length	480mm	Cylinder ID	50mm
Complete With Ho	Min Length Max Length	690mm	Cylinder ID Piston Rod Diameter	<mark>50mm</mark> 30mm
Complete With Ho & Anti-Creep Valve	Min Length Max Length			
Complete With Ho & Anti-Creep Valve	Min Length Max Length	690mm		
Complete With Ho & Anti-Creep Valve	Min Length Max Length Ram Stroke	690mm		
Complete With Ho & Anti-Creep Valve	Min Length Max Length Ram Stroke	690mm 210mm	Piston Rod Diameter	30mm
Complete With Ho & Anti-Creep Valve	Min Length Max Length Ram Stroke 53462 Min Length	690mm 210mm 570mm	Piston Rod Diameter	30mm 63mm
& Anti-Creep Valve	Min Length Max Length Ram Stroke 53462 Min Length Max Length	690mm 210mm 570mm 886mm	Piston Rod Diameter	30mm
& Anti-Creep Valve	Min Length Max Length Ram Stroke 53462 Min Length Max Length	690mm 210mm 570mm	Piston Rod Diameter	30mm 63mm
& Anti-Creep Valve	Min Length Max Length Ram Stroke 53462 Min Length Max Length	690mm 210mm 570mm 886mm	Piston Rod Diameter	30mm 63mm
& Anti-Creep Valve	Min Length Max Length Ram Stroke 53462 Min Length Max Length	690mm 210mm 570mm 886mm	Piston Rod Diameter	30mm 63mm
& Anti-Creep Valve	A Min Length Max Length Ram Stroke 53462 Min Length Max Length Ram Stroke	690mm 210mm 570mm 886mm	Piston Rod Diameter	30mm 63mm
& Anti-Creep Valve	Amin Length Max Length Ram Stroke 53462 Min Length Max Length Ram Stroke 53463 Min Length Max Length Max Length	 690mm 210mm 570mm 886mm 296mm 	Piston Rod Diameter Cylinder ID Piston Rod Diameter	30mm 63mm 35mm



Hydraulic Top Links

a catolic cato	53464			
	Min Length		585mm	
Ca Cat	Max Length		859mm	
	Ram Stroke		274mm	
Complete With Hose, Anti-Creep Valve	Cylinder ID		63mm	
& Transport Handle	Piston Rod Diame	ter	35mm	
	53465			
and the second second second	Min Length		595mm	
The second se	Max Length		834mm	
Billion Billion	Ram Stroke		239mm	
Complete With Hose, Anti-Creep Valve	Cylinder ID		80mm	
& Transport Handle	Piston Rod Diamet	er	40mm	
at Arthole Consider the second secon	53453 Min Length Max Length Ram Stroke Cylinder ID Piston Rod Diameter	580mm 825mm 245mm 80mm 40mm	640mm Including Knuckle 885mm Including Knuckle	
Muldiens S3467 Cat 2 25mm Pin & R Clip included	53468 28mm 28mm Pin & R Clip included	P	53469 Cat 3 32mm Pin & R Clip included	
	53454			
The second second	Min Length	620mm	680mm Including Knuckle	
	Max Length	905mm	965mm Including Knuckle	
	Ram Stroke	285mm		
Complete With Hose, Anti-Creen Valve				
Complete With Hose, Anti-Creep Valve & Transport Handle KNUCKLES NOT INCLUDED	Cylinder ID Piston Rod Diameter	80mm 40mm		

Approved By:



Hydraulic Top Links

Cat Anuche		53452		
		Min Length	580mm	640mm had alter the state
	10 000 000 000 A P.			640mm Including Knuckle
	UUC OSC BRAN	Max Length	825mm	885mm Including Knuckle
100	Complete With Hose, Anti-Creep Valve	Ram Stroke	245mm	
	& Transport Handle	Cylinder ID	90mm	
	KNUCKLES NOT INCLUDED	Piston Rod Diameter	45mm	
N.				
at uniche		53455		
	E and the second second	Min Length	505mm	565mm Including Knuckle
	and a second	Max Length	646mm	706mm Including Knuckle
	Complete With Hose,	Ram Stroke	141mm	
	Anti-Creep Valve & Transport Handle	Cylinder ID	90mm	
	KNUCKLES NOT INCLUDED	Piston Rod Diameter	40mm	
JUL 15	25mm 28	3468 28mm mm n & R Clip included	9	53469 Cat 3 32mm Pin & R Clip included
Knuckle Contions	25mm 28	3mm 🦯	2	32mm
Knuchens Portons	25mm 28	amm n & R Clip included	2	32mm
Knuche Options	25mm 28	mm n & R Clip included	2	32mm Pin & R Clip included
Houtens Control of the second se	25mm 28	mm h & R Clip included 53456 Min Length	590mm	32mm Pin & R Clip included
Kondelens Cook	25mm 28	mm h & R Clip included 53456 Min Length Max Length	590mm 816mm	32mm Pin & R Clip included
Kondeline Cooline	25mm Pin & R Clip included 26 Pin Pin Pin Pin Pin Pin Pin Pin Pin Pin	mm h & R Clip included 53456 Min Length		32mm Pin & R Clip included
Konucher Contraction of the second seco	25mm Pin & R Clip included	mm h & R Clip included 53456 Min Length Max Length Ram Stroke Cylinder ID	816mm 226mm 90mm	32mm Pin & R Clip included
Kondens Cool	25mm Pin & R Clip included 26 Pin Pin Pin Pin Pin Pin Pin Pin Pin Pin	53456 Min Length Max Length Ram Stroke	816mm 226mm	32mm Pin & R Clip included
And the formation of th	25mm Pin & R Clip included 26 Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin & R C	mm h & R Clip included 53456 Min Length Max Length Ram Stroke Cylinder ID	816mm 226mm 90mm	32mm Pin & R Clip included
	25mm Pin & R Clip included 26 Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin & R C	amm h & R Clip included 53456 Min Length Max Length Max Length Ram Stroke Cylinder ID Piston Rod Diameter	816mm 226mm 90mm	32mm Pin & R Clip included 650mm Including Knuckle 876mm Including Knuckle
	25mm Pin & R Clip included 26 Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin & R C	53456 Min Length Max Length Ram Stroke Cylinder ID Piston Rod Diameter	816mm 226mm 90mm 45mm	32mm Pin & R Clip included 650mm Including Knuckle 876mm Including Knuckle 1 680mm Including Knuckle
	25mm Pin & R Clip included 26 Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin Pin & R Clip included 28 Pin & R C	amm a & R Clip included 53456 Min Length Max Length Max Length Cylinder ID Piston Rod Diameter 53457 Min Length	 816mm 226mm 90mm 45mm 	32mm Pin & R Clip included 650mm Including Knuckle 876mm Including Knuckle 1 680mm Including Knuckle
	25mm Pin & R Clip included 26 Pin Pin & R Clip included 26 Pin Pin Pin & R Clip included 26 Pin Pin Pin & R Clip included 26 Pin Pin Pin & R Clip included 26 Pin Pin & R Clip included 26 Pin & R Cli	amm a & R Clip included 53456 Min Length Max Length Ram Stroke Cylinder ID Piston Rod Diameter 53457 Min Length Max Length	 816mm 226mm 90mm 45mm 620mm 835mm 	32mm








Brakes, Linkage & Hydraulics

Standard Top Links

Jua	Idard TOP LITKS			
Tube 16 7/16")	520mm 16" Cat 1 " (Adj. Min20¾"Max 28 et Handle is 51770 **		1689	640mm : Top Link 20" Cat 2 Tube 20" (Adj. Min 25 3/32" Max 36 7/32") ** Ratchet Handle is 51770 **
51770			Handle for Ratch ** fits 62108 168	n on Top Link 39 1690 1547 51720 **
21008		21022	21011	280mm
	k Assembly Cat 2 - Standard Duty Tube Min 12 3/32" Max 15 1/32")	Screw On End For 21008 RH Thread		oly - Standard Duty . Min 11 1/32" Max 15 15/32")
21021				300mm
Top Link	Assembly Cat 1 Cat 2 - Standard Duty		01	
21010	Top Link Assembly Cat 2 Tube 11 1/4" (Adj. Min 16 1/2" Max 23 1/32")			420mm
2474	Top Link David Brown Cat 2 Cat 1 + Conversion Tube 14 1/2" Adj Min 20" Max 30"	Õ		500mm
3785	Top Link 16" Heavy Duty Cat 2			560mm
62108	Top Link 16" Cat 1 & 2 ** Ratchet Handle is 51770 **	(520mm
1547	Top Link 20" Cat 1 & 2 Tube 20" (Adj. Min 24 27/32" Max 32 25/3 ** Ratchet Handle is 51770 **	2")		615mm
3792	Top Link Cat 2 Heavy Duty Tube 19" Adj Min 24 7/16" Max 35 5/16"	Q		615mm
3676	Top Link Cat 3 H/D 19" Jumbo Tube 19" Adj Min 25 5/16" Max 35 7/16" Cat 3 to Cat 2 Conversion Bush=53475	Č		650mm
MOD 15-09-16	Ver 5.0 Pg Modified By: Date Modified: Approve MMcD 21/08/2014 DH			s and part numbers are quoted for reference purposes ur replacement parts are used as original equipment.







OE Style Top Links

John Deere

59768	Top Link John Deere 6000 CAT II/III 38mm	610mm
	24" (61cm) long (Centre to Centre)	
9287	Top Link John Deere 6000 CAT II/II	605mm
9207	605mm Centre to Centre 59771 is Budget Version	600000
9771	Top Link John Deere 6000 CAT II/II 38mm 23 1/2" (60cm) long (Centre to Centre)	635mm
458	Top Link John Deere Cat 1 & 2 Heavy Duty Adj Min 550mm Max 760mm	600mm
252	Top Link Assembly John Deere 13" Cat 1 & 2 Adj Min 21 5/8" Max 30"	. 610mm → .
9772	: John Deere 6000 CAT III/III 38mm	620mm
For		
3027	Top Link Ford 5600 7600 17" Cat 2 Adj Min 24 1/2" Max 31 1/4" - 622 - 794mm	630mm
028	Top Link Ford 4000 4600 16.75" Cat 1 + 2	610mm
020	Adj Min 24 1/2" Max 31 1/4"	
1309	Top Link Ford 40 - CAT 2 Ball 28mm Eye Fiat M100 to M160 - Knuckle 53469	640mm
2066	Top Link Assembly TM TS Cat 3 Hook	Kubota
	650mm	51207 455mm
6		Top Link Kubota
MOD 15-09-	-16 Ver 5.0 Pg Modified By: Date Modified: Approved	By: Original equipment manufacturer names and part numbers are quoted for reference purposes

Brakes, Linkage & Hydraulics






msc100 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. Pg Modified By: MMCD Date Modified: 21/08/2014 DH Ver 5.0 MOD 15-



Top Link Components

Accessories



Top Link Pins

195589	Top Link Pin Cat 1 Working Length: 102mm	
195590	Top Link Pin Cat 1 Working Length: 110mm	
1461	Top Link Pin Cat 1 4.75" Working Length: 127m	
2363	Top Link Pin 188 CAT 2 4 5/16' Working 110mm	
53028	Lower Link Pin Cat 1 22 x 78mm	
53029	Top Link Pin Cat 1	

146mm 127mm

Lower Link Implement Pin

Lower Link Implement Pin Cat 2
Lower Link Implement Pin Cat 2 1 1/8" UNC
Lower Link Implement Pin Cat 1/2 1" UNC
Lower Link Implement Pin Cat 1 / 2 1" UNF
Lower Link Pin Cat 1 Mounting Pin



Ver 5.0



Lower Links



Lower Link Balls









Top Links



Top Link Conversion Bushes



MASSEY FERGUSON



сат 1	Part	Applications	Cat	Min	Max	В
410mm	61495	Stabiliser 290 Telescopic 61511 & 61510 - Stabiliser Brackets	1	410	570	20
450mm	61496	Stabiliser 265 Telescopic	1	410	570	20
520mm	62138	Stabiliser 690 699 290 390 Heavy Duty End - 51976	1	520	690	20
590mm	61214	Stabiliser Assembly 4200 4300	1	590	860	25
сат 1	Part	Applications	Cat	Min	Max	В
410mm	62955	Stabiliser 5400 6200 6400 8200	2	410	620	25
450mm	62139	Stabiliser 3 31 36 61 62 81 8200's Heavy Duty End - 51974	2	450	640	25
HEDRO MICCOMP	62309	Stabiliser 6400 7400 480 - 450mm Automatic	2	450	570 Float is 50	25
500mm	62813	Stabiliser 5425 5435 5445 5455 5460 5465	2	500	640	27
msc104 Original equipment manufacturer names and part numbers are quoted for referen	ce purposes Pg l equipment.	Modified By: Date Modified: A	pproved By:	Ver 5.0	MOD 15-09-16	_

MASSEY **FERGUSON**

Brakes, Linkage & Hydraulics

Vintage Stabilisers

Stabiliser Short Adjustable - Min 2805 376mm Max 471mm Stabiliser Bar 65 165 Adjustable Min 723mm Max 914mm 23mm 894208 Hole

897678 Eye Bolt Assembly 20D 35 - 4 Cylinder



897677 Eye Bolt Assembly 35 35X 133 135 140 45mm

Chain Stabilisers & Check C





<u>Cha</u>	ins	
	2041	Check Chain 35 135 - PAIR
	62128	Chain Stabiliser 135 - 2 Links
	2225	Chain Stabiliser 135 Heavy Duty
	1863260	Chain Stabiliser 135 240 Chain OE Type
	1861968	Check Chain 148 240
	893410	Check Chain 265 285 - 5 Link 62 x 12.5mm
	2522963	Chain Stabiliser 188 165 390 590
	2044	Chain Stabiliser - All Models Min 819mm Max 927mm

61601 Check Chain Mounting Bracket (Pair)



1824 D Shackle Clevis Assembly



1865159

2818

RH & LH

Stabiliser Spacer 165 300 Also 200 500 600 Series



Stabiliser Bracket 135/240

Brackets

1395 Stabiliser Bracket 35 135 Left Hand

1394 Bracket Right Hand



62621 Stabiliser Bracket 165 168 175 178 185 188 Left Hand 62620 Bracket Right Hand



562620 Stabiliser Bar 3 Hole Spring Steel Flat

1691 Stabiliser Bar 2 Hole Flat

63282 Stabiliser Bars & Brackets Kit 35 135

61511 Stabiliser Bracket

61510 Bracket Right Hand

Square Axle Left Hand





Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc105

JOHN DEERE

	Cat 0	16mm	
		Cat 1	19mm
		Cat 2	25mm
Cat		Cat 3	32mm

сат 1	Part	Applications	Cat	Min	Max	В
18mm Frankling H10mm	59894	Stabiliser John Deere 6010- 6920	1	410	540	18
450mm	59920	Stabiliser John Deere 6000's	1	450	510	18
480mm	59654	Stabiliser John Deere 6000's H Duty Short End - 51974 59650 - Stabiliser Bracket	1	480	700	25
530mm	59653	Stabiliser John Deere 6000's H Duty Long End is 51975	1	530	760	25

CAT 2	Part	Applications	Cat	Min	Max	В	Float
The second secon	59089	Stabiliser John Deere Automatic 6010 6110 6210 6310 6410 6510 6610 6810 6910 7600 7700 7800 7430PR	2	448	467	24	+ - 36
E COLORADO E SALANDO	59090	Stabiliser Automatic New Holland TM175 TM190 T7030 T7040 T7050 T7060 John Deere 8000 8010 8110 8200 8210 8300 8310	2	461	482	28	+ - 36
msc106 Original equipment manufacturer names and part numbers only and are not intended to infer that our replacement part			Approve	ed By:	Ver 5.0	MOD 15-09-1	6

JOHN DEERE

Brakes, Linkage & Hydraulics






51099

Chain Stabiliser Assembly John Deere 2040 3640

msc107



Brackets



FORD & NEW HOLLAND

	B	Cat 0	16mm
		Cat 1	19mm
		Cat 2	25mm
Cat		Cat 3	32mm

Part	Applications	Cat	Min	Max	Float	В
42258	T6030 T6050 TS115A TS130A T6040 TS110A T6010 T6070 TS100A T6060 Stabiliser Pin -42259 Bracket - 43505	1	380	560		20
41763	TM & 60s Heavy Duty OE Ref: 5170360	1	430	630		25
41763R	TM & 60s Normal Duty End is 51978		430	630		25
43037	TM115 TM125 TM135 TM150 TM165 Automatic	1	430	490	40	26
59090	Automatic TM175 TM190T7030 T7040 T7050 T7060	2	461	482		36
4964	Ford 4000	1	460	650	40	18
	42258 41763 41763R 43037 59090	422258T6030 T6050 S115A TS130A T6040 TS110A T6010 E070 TS100A T6060412259Stabiliser Pin -42259 Bracket - 4350541763TM & 60s Heavy Duty OE Ref: 517036041763RTM & 60s Normal Duty End is 5197843037TM 15 TM125 TM155 TM150 TM165 Automatic59090Automatic TM175 TM190T7030 T7040 T7050 T7060	42258T6030 T6050 TS115A TS130A T6040 TS110A T6010 T6070 TS100A T6060 Stabiliser Pin -42259 Bracket - 43505141763TM & 605 Heavy Duty OE Ref: 5170360141763RTM & 605 Normal Duty End is 51978143037TM 115 TM125 TM135 TM150 TM165 Automatic159090Automatic TM175 TM190T7030 T7040 T7050 T70602	42258 T6030 T6050 T5115A TS130A T6040 TS110A T60100 T6070 TS100A T60600 Stabiliser Pin -422599 Bracket - 43505 1 380 41763 TM & 605 Heavy Duty OE Ref: 5170360 1 430 41763 TM & 605 Normal Duty End is 51978 1 430 43037 TM 115 TM125 TM135 TM150 TM165 Automatic 1 430 59090 Automatic TM175 TM190T7030 T7040 T7050 T7060 2 461	42258 T6030 T6050 T5115A T5130A T6040 T5110A T6010 Stabiliser Pin -42259 1 380 560 41763 TM & 605 Heavy Duty OE Ref: 5170360 1 430 630 41763 TM & 605 Normal Duty OE Ref: 5170360 1 430 630 417637 TM & 605 Normal Duty End is 51978 1 430 630 417638 TM & 605 Normal Duty End is 51978 1 430 630 5000 TM115 TM125 TM135 TM150 TM165 Automatic 1 430 430 5000 Automatic TM175 TM19077030 T7040 T7050 T7060 2 461 482	42258 T6030 T6050 T5115A T5130A T6040 T5110A T6010 F6070 T5100A T6060 1 380 560 41763 TM & 605 Heavy Duty OE Ref: 5170360 1 430 630 440 41763 TM & 605 Normal Duty End is 51978 1 430 630 440 417638 TM & 605 Normal Duty End is 51978 1 430 630 440 59090 Automatic TM175 TM135 TM150 TM19077030 T7040 1 430 482 440

FORD & NEW HOLLAND

	B	Cat 0	16mm
		Cat 1	19mm
		Cat 2	25mm
Cat		Cat 3	32mm

	Part	Applications	Cat	Min	Max	Float	В
480mm	12000	Ford 40 TS 8210 Replacement (A ¾' B ¾') (NORMAL DUTY)	1	470	620		20
500mm	42257	Ford TS100 TS110 TS115 TS80 TS90 Also fits TV140	1	500	740		20
500mm	41802	5000 - 8210 Heavy Duty End - 51973	1	500	720		18
520mm	409710	Ford 40 Series Heavy Duty End is 51973	1	520	730		20
540mm	4963	5000	1	540	770	40	18
430mm	43244	Stabiliser Ford 2000 3000 3600	1	430	600		
380mm	43537	T4000s TNs	1				

FORD & NEW HOLLAND

Chain Stabilisers & Components

Chain Stabilisers			
	1951	Stabiliser Power Major ** D Shackle is 53202 **	53202 D Shackle for 1951
	3026R	Stabiliser Ford 4000 4600 4610	$\mathbf{\Lambda}$
	3025R	Stabiliser Ford 5000 5600 6600 7000 7600	53203 U Bolt Suits 3026R 3025R 1635
Contraction of the second	41821	Chain Stabiliser Ford 4000 4600 4610 4630 And 5000 5030 5600 6600 7000 7600	50251(1055

1168 Chain Stabiliser Tube Ford + Weight



43345

Anchor Bracket Check Chain Ford 2000 4000 600 800 900 601 701 801 901 Dexta Super Dexta 2N 8N 9N Jubilee NAA Left Hand OE Ref: 957E596

43344

Anchor Bracket Check Chain Ford 2000 4000 6008N 9N Jubilee NAA Right Hand OE Ref: 957E597

Approved By:

Stabilisers Hangers

41359 Stabiliser Hanger Ford 2910/3910 Left Hand

41360 Stabiliser Hanger Ford 2910/3910 Right Hand




41364 Stabiliser Hanger Ford 6610 7610 Left Hand

41361 Stabiliser Hanger Ford 6610 7610 Right Hand




FORD & NEW HOLLAND

Stabiliser Components



U Bolts



Stabilisers

	B	Cat 0	16mm
		Cat 1	19mm
	┤└ <u>──</u> ╷ <u>┊</u> ┣┤╵│	Cat 2	25mm
Cat		Cat 3	32mm

CASE	Part	Applications	Cat	Min	Max	В
320mm	59652	McCormick Case CX H Duty End = 51972	1	320	450	22
520mm	59651	McCormick Case MX H Duty End = 51972	1	520	720	22
BOOM SEA	52460	Case 640 644 740 743 744 745 745S 840 844 844S 845 856 940 946 955 956 1046 1056	1	390	640	
l	1635	IHC All Models 385 454 474 475 484 485 485 XL 574 584 585 585 XL 674 684 685 685 XL 784				

DAVID BROWN	Part	Applications	Cat	Min	Max	В
	2171	Stabiliser Assembly David Brown 4 Cylinder 990 995 996 1210 1212 1290 1294 1390 1394 1410 1412 1490 1494	1	635	750	20
470mm	2204	Stabiliser David Brown 1690 1594 1694	2	470	780	20

RENAULT	Part	Applications	Cat	Min	Max	В
E CONTRECONNECONNECONNECONNECONNECONNECONNECON	780061	Stabiliser Renault Ceres MS - MX	2	585	835	24

msc112 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Ver 5.0 MOD 15-09-16

Stabilisers

	B	Cat 0	16mm
		Cat 1	19mm
		Cat 2	25mm
Cat		Cat 3	32mm

FIAT	Part	Applications	Cat	Min	Max	В
420mm	4063	Stabiliser Fiat 100-90 420mm Long	1	420	530	25
440mm	59511	Stabiliser Fiat 90 Series Heavy Duty End = 51977	1	440	640	25
	7821	Stabiliser Fiat 115-90 130- 90 140-90 160-90 180-90		480	630	28

ZETOR	Part	Applications	Cat	Min	Max	В
20mm 600mm	59649	Stabiliser Zetor Forterra Heavy Duty	1	600	840	20

LANDINI	Part	Applications	Cat	Min	Max	В
530mm	59519	Stabiliser Landini Ghibli 90 530mm long <mark>End = 51974</mark>	1	530	750	25

SAME	Part	Applications	Cat	Min	Max	В
510mm	41737	Stabiliser Same Explorer 95 & 110 Silver	1	510	570	20

VALTRA	Part	Applications	Cat	Min	Max	В
490mm	52867	Stabiliser Valtra Valmet T Series	2	490	720 Float is 45	20


Stabilisers Normal Duty

	В	Cat 0 16mm
		Cat 1 19mm
		Cat 2 25mm
Cat		Cat 3 32mm

MISCELLANEOUS Cat 1	Part No	End to Suit	Cat	Min	Мах	Float	В
440mm	12010	End = 51974	1	440	600	50	25
470mm	12000	End = 51973	1	470	620		20
510mm	12030	End = 51974	1	510	670	50	25
MISCELLANEOUS Cat 2	Part No	Description	Cat	Min	Мах	Float	В
440mm	12020	End = 51974	2	440	600	50	25
510mm	12040	End = 51974	2	510	670	50	25

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. ved By: Ver 5.0 MOD 15-09-16

Stabilisers Heavy Duty



MISCELLANEOUS Cat 1	Part No	Description	Cat	Min	Max	Float	В
میں	12011	Stabiliser Rigid Min 440 Max 600mm	1	440	600	50	25
510mm	12031	Stabiliser Rigid Min 510 Max 670	1	510	670	50	25
MISCELLANEOUS Cat 2	Part No	Description	Cat	Min	Мах	Float	В
440mm	12021	Stabiliser Rigid 3000 Min 440 Max 600	2	440	600	50	25


Stabiliser Pins

- **51739** Shaft Locking Pin 8mm x 57mm
- **51740** Shaft Locking Pin 6mm x 50mm
- **53494** Shaft Locking Pin 11mm x 89mm
- **51741** Shaft Locking Pin 11mm x 89mm
- **51742** Shaft Locking Pin 9.5mm x 57mm
- **7387** Stabiliser Pin Fiat 100-90 Ford 40 16mm Thick
- **53060** Linch Pin Stabiliser 59mm x 10mm
- 53064 Pin Shaft Locking 9.5 x 40mm





Linkage Components




Lift Arm Spring Ford 5000 7200 Lower Adjustable Spring Spacer (500 - 720mm Adj)

Spring Lower Link Restrainer Ford F140 7030 7070 TM115 TM190 Fiat 55-46 65-66 60-90 80-90 90-90 100-90 110-90 180-90








Part No	Size A mm	Size B mm	Photo
12336	6	16	I
12337	8	20	I
12338	10	25	I
12339	12	30	I
12340	14	36	I
12341	16	42	
12389	20	49	I

Clevis End Safety Pins



Part No	Size A mm	Size B mm
12345	12	29
12346	14	32
12347	16	35
12390	20	44

Approved By:



Linkage Components

Combine Fingers



msc117

Brakes, Linkage & Hydraulics





41738

Top Link CBM Cat 2 (15'Tube) Min 23' Max 31' Landini Legend/Mc Cormack MC & MTX's





Waltersheid Quick Attach Hook Kits





S.p.A

CBM

COSTRUZIONI MECCANICHE

Date:		No. of Pages:.	
Name of	the Rep	A/C Number:.	
From:		e-mail	
Phone No	D.:	Fax No.:	
	Please quote for the follo	wing parts - Quotation Number :	
	I wish to confirm the follo	owing order on Quotation Number:	
	Please supply the following	ng parts:	
Qty	Part No.	Description	Unit Prid
1.		·	
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
Comme	nts:		
•	er Signature:	Rep's Sigr	

e-mail: info@qtponline.com, www.qtponline.com

Page[___of[

MOD 15-09-16




Linkage CBM Type




msc120







Linkage CBM Type





Linkage



Brakes, Linkage & Hydraulics



Lift Rods





1127	BS020	BS132	BS172	BS256	BS346
	BS021	BS134	BS173	BS257	BS347
	BS023	BS138	BS211	BS259	BS425
	BS024	BS140	BS212	BS260	BS427
	BS026	BS143	BS213	BS261	BS428
1 4 1 4 A	BS027	BS145	BS214	BS262	BS431
2 - 2 -	BS029	BS146	BS216	BS263	BS432
	BS030	BS150	BS219	BS266	BS433
	BS031	BS151	BS220	BS268	BS434
	BS033	BS151	BS221	BS269	BS435
	BS034	BS152	BS222	BS270	BS436
0	BS036	BS153	BS224	BS272	BS437
	BS039	BS154	BS225	BS273	BS438
	BS041	BS156	BS226	BS274	BS439
•	BS043	BS158	BS227	BS325	BS440
	BS042	BS159	BS228	BS326	BS441
	BS044	BS160	BS229	BS327	BS443
Box of Imperial "O" Rings	BS045	BS161	BS238	BS328	BS444
	BS046	BS162	BS241	BS329	BS445
	BS047	BS163	BS242	BS330	BS446
	BS048	BS164	BS243	BS333	BS447
	BS049	BS165	BS244	BS334	BS448
	BS050	BS166	BS426	BS336	BS448
	BS118	BS167	BS247	BS340	BS449
		BS168	BS249	BS341	BS450
		BS170	BS250	BS342	BS807
		BS169	BS251	BS344	BS812
365784		BS171	BS253	BS345	BS814
			BS255		

O Rings

Brake Components - Cup Seals

7023 - Cup Seal (41.3 x 9.1) Normal SRB
7071 - Cup Seal (17.4 x 6.6) Normal SRB
7120 - Cup Seal (15.8 x 7.1) Normal SRB
7128 - Cup Seal (22.2 x 8.0) Normal SRB
7132 - Cup Seal (25.4 x 7.4) Normal SRB
7136 - Cup Seal (28.6 x 7.2) Normal SRB
7140 - Cup Seal (31.7 x 7.2) Normal SRB
7142 - Cup Seal Normal SRB 33.3 x 7.9
7144 - Cup Seal (34.9 x 8.1) Normal SRB
7148 - Cup Seal (38.1 x 8.2) Normal SRB
7156 - Cup Seal (44.4 x 9.5) Normal SRB
7164 - Cup Seal (50.8 x 9.4) Normal SRB
•



N7140 - Cup Seal (31.7 x 7.2) Mineral **N7142** - Cup Seal (33.3 x 7.9) Mineral N7148 - Cup Seal (38.1 x 8.2) Mineral



Spool Valves



Spool Valve Monoblock 1/2" BSP 4 Bank Double Acting, Double Acting,Double Acting Single Acting



Spool Valve Monoblock 1/2" BSP 3 Bank Double Acting, Double Acting, Single Acting *** In Kit 51660 ***



Spool Valve Monoblock 3 Bank 3/8" Double Acting Double Acting Single Acting c/o Relief Valve



Spool Valve Monoblock 1/2" BSP 1 Bank One Bank Double Acting





Joystick Parts





Kontak Parts



msc128 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Approved By:

Ver 5.0 MOD 15-09-16



Fitting Kit, Cable & Handle

Part No	Mtr
51663	1.5
51662	2
51671	2.5

Quicke Loader Cable Threaded Ends

Part No	mm	
53011	1200	
53009	1500	
53010	2000	
53012	2400	
		1 1

Quicke Loader Cable Ball & Eye Piece


Part No	mm
53013	1200
53000	1400
53001	1600
53002	1800
53003	2000
53004	2200
53005	2400
53006	2600
53007	2800
53014	3000
53008	3200




Morse Cable

Part No	Mtr	
3736	2.5	
3732	1.5	
3731	2	
3762	3	


Morse Cable Hook Type



Cable for Joystick



Loader Cable




Cable Loader John Deere 531 - 551 533 - 583 631- 651- 661 633 - 653 - 663 731 - 751



Hydraulic Pump



Hydraulic Filters





Brakes, Linkage & Hydraulics

Gauges	Adaptors
3070	2257 Hydraulic Gauge 1/4' Barrell Adaptor
Gauge Pressure Small 5800 PSI Glycerine Fille	
4378	Adaptor to suit Hydraulic Gauge
Gauge Pressure 580 PSI Glycerine Filled	
3625 Gauge Oil Pressure 140	1825 Adaptor 1/4' BSP x 3/8' BSP
PSI Glycerine Filled	
	1852 Adaptor 1/2' x 1/4' BSP
4470 Rubber Pressure Gauge Protector	1893 UCC Oil Filler Cap Assembly
Valves	
3870 1/2' Non Return Valve	2033 Rotary Shut Off Valve / Tap 1/2' BSP
53301 Regulator Flow Control 1/2" BSP	2749 Shut off Valve & Tap 3/8" BSP
MOD 15-09-16 Ver 5.0 Pg Modified By: Date Modified: Ap	original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. msc1

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment. msc131



Standard Quick Release Couplings

		3/8″ BSP	1/2" BSP	3/4″ BSP	1" BSP
Male		1274	1985	1578	
Female		1275	1984	3624	
Repair Kit	0	1374	3297		
Dust Cap Female		1533	1439	1662	1665
Dust Cap Male		1612	2759	1613	1714
Anchor			51380		

Pressure Washer Couplings

	3/8″ BSP	1/2" BSP
Male	2754	
Female	2753	2750
Male Hose Tail	2752	

Flat Faced Couplings 1/2"



53751





53751Quick Release Coupling Flat Faced Male 3/8"

53750Quick Release Coupling Flat Faced Female 3/8"



Breakaway Quick Release Couplings



1/2' Double Breakaway Kit



Quick Release Coupling Assembly 1/2" 1/2' Single Breakaway Kit



Quick Release Coupling 1/2" 3/4" JIC Thread



Quick Release Coupling 1/2" BSP Female Push P



External Circlip for 3272 - 1 1/2" 38mm



Quick Release Coupling Plate 1 Hole

Ford



Quick Release Coupling Plate 2 Holes



Quick Release Coupling Spool Valve Ford



Seal Kit to Suit 3029G Ford Coupling



Massey

Quick Release Coupling Hydraulic 1/2 Female M22 x 1.5 Thread 75mm Long




Quick Release Coupling 300 3000 M22 Seal=42094

41633

Quick Release Coupling Ford TS TM 60 M22







Trailer Brake Coupling

	-	•			
	3/8″ BSP	1/2" BSP	M18	M20	Photo
Female	2696	2624			
Male Brake Line		2748		2747	
Female Brake Line			2625		

Coupling Dowty

Male	Female	Dust Cap Male
51721	51722	51725

Exactor

Male	Female	Dust Cap Male	Locknut
51726	51727	51730	51728
	60		\bigcirc


Bracket





BSP Female Diverters







2756 Diverter Valve 3/8' BSP Female **2757** Diverter Valve 1/2" BSP Female

Dowty Washers

Part No.	Size
61792	1/8″
1693	1/4″
1527	3/8″
1526	1/2″
1528	5/8″
1525	3/4″



Tipping Pipes

Hydraulic Hoses

Part No.	Size
2009	3/8″
2010	1/2" (2 Wire)
3570	3/4" (2 Wire)







Reusable

BSP Hydraulic Fittings







	Hose	Male	Female	90°
1/4″ BSP	1/4″	1787A	1787	
3/8″ BSP	3/8″	1789	1788	1789A
1/2″ BSP	1/2″	1791	1790	1792
5/8″ BSP	5/8″		1793	1795
3/4" BSP	3/4″		1796	1797

JIC Hydraulic Fittings

Couplings	Hose	Male	Photo	Female	Photo
9/16″ JIC	3/8″	1806A		1801	
3/4″ JIC	1/2″	1806	and the second second		
1 1/16″ JIC	3/4″	5312			
1 3/16″ JIC	3/4″			5309	

JIC 90° Couplings

Couplings	Hose	Female	Male	
1 1/16″	3/4″	5311		
3/4"	3/8″		1805	
7/8″ 90	1/2″		1808	

Metric Fittings

Couplings	Hose	Female	
M18	3/8″	2808	
M22	1/2″	2806	The second second



BSP Adaptors



Size	Male/Male	Female/Female	Male/Female
3/8" x 3/8"	1816	1861	
3/8" x 1/2"	1853	1859	1777 (3/8" Male x 1/2" Female)
3/8" x 5/8"	1854	1855	
3/8" x 3/4"	1848		
1/4" x 1/4"	1828	1862	1870
1/4" x 3/8"	1825	1860	
1/4" x 1/2"	1852		
1/4" x 3/4"	1851		
1/2″ x 1/2″	1815	1856	1864
1/2″ x 5/8″	1850		
5/8" x 5/8"		1895	1863
3/4" x 5/8"	1846		
3/4" x 3/4"	1817	1858	1867
7/8″ x 5/8″	1823		
3/4" x 1"		1865	
1″x1″		1857	
1″x 1 1/2″	1849		

Adaptors

Couplings	Male/Male	
1 1/16″ JIC x 1 1/16″ JIC	3616	
1 5/16″ JIC x 1 5/16″ JIC	3615	

JIC/BSP Adaptors

Couplings	Male/Male
3/8" BSP x 1/2" JIC	51955
9/16″ JIC x 3/8″ BSP	1827
9/16" JIC x 1/2" BSP	1826
3/4" JIC x 3/4" BSP	1989



Metric/BSP Adaptors

Couplings	Male/Male	1
18mm x 3/8″	2402	13444
M22 x 3/8″	2403	
M22 x 1/2"	2386	



BSP/JIC Adaptors

Couplings	Male/Male	
1/2" BSP Male x 3/4" JIC Male	1868	C.





Elbows






 1135
 1198

 3/8' x 3/8' BSP 90' Comp. Elbow M & F
 Elbow Ma

1198 Elbow Mass 1/2" x 1/2" BSP 90'









Bulkhead Adaptors

Couplings	Male/Male
3/8″ BSP	4271
1/2‴BSP	4270

Size	Part No.
3/8″ BSP	3294
1/2" BSP	3271







53900	suits 3/16" ID Hose
53901	suits 1/4" ID Hose
53902	suits 5/16" ID Hose
53903	suits 3/8" ID Hose
53904	suits 1/2" ID Hose
53905	suits 5/8" ID Hose



: Date Modified: Approved By:



One Piece

Crimp on 3/8" BSP Fittings to suit 3/8" hose			Crimp on 1/2" BSP Fittings to suit 1/2" hose	
Description	Part No.	Photo	Description	Part No.
90⁰ Sweep	2736		90⁰ Sweep	2739
45° Sweep	2737		45⁰ Sweep	2740
Female Parallel	2731		Female Parallel	2738
Male Parallel	2732		Male Parallel	2730

9/16" JIC Fittings to suit 3/8" hose

Description	Part No.	Photo
9/16" JIC Female	2742	
9/16‴JIC Male	2741	
9/16‴JIC 90º Sweep	2735	
3/4" JIC	2743	

3/4" JIC Fittings to suit 1/2" hose

Description	Male	Female	Photo
3/4" JIC 90° Compact	2745		
3/4″ JIC	2744		
3/4″ JIC		2746	



Name of the Rep From: Phone No.:			A/C Number: e-mail Fax No.:						
						Please quote for the fo	llowing parts - Quo	tation Number :	
						I wish to confirm the fo	ollowing order on Q	uotation Number:	
	Please supply the follow	wing parts:							
Qty	Part No.	Description		Unit Price					
2.									
3.									
1.									
5.									
5.									
7.									
8. 9.									
10.									
11.									
12.									
13.									
14.									
15.									
16.									
17.									
18.									
19.									
20.									
21.									
22.									
23.									
24.									
Comme	nts:								
• Custom	er Signature:		Rep's Signa	ture					
			rep s siglia						

Page ____ of ____

Approved By:



2083

61838 1874445 Radiator Cap Massey Fergu-**Radiator Cap Massey** Radiator Cap 200 500 son & Ford 10 Lb Ferguson 10 lb Long Reach OEM Ref: 1874455M93 OEM Ref: E2NN8100BA


Fuel Tank Caps

3095Twist Type

OEM Ref: 748219M1



Radiator Cap Lid 600 OEM Ref: 1427773M92



3641889M1

OEM Ref: 897105M1

Ford Radiator Caps



48808	41805	41228	4023
3	Fordson		
Radiator Cap Fordson N's 2N/8N/9N (1943-1952)	Radiator Cap Fordson	Radiator Cap Fordson Super Major OEM Ref: 81711544	Radiator Cap Ford 7lb OEM Ref: E2NN8100AA 83935904
4717	41877		42029
Radiator Cap Ford 13 Lb OEM Ref: E2NN8100BA	Radiator O TM190 22 OEM Ref:		Radiator Cap TM MXM OEM Ref: 87306788
Fuel Tank Cap	S		
41225		41473	and the second s
Engine Oil Filler Cap Dexta / Si MajorOEM Ref: 81717845	uper	Fuel Tank Cap Super OEM Ref: 81718153	
4079	2775		409660
Fuel Tank Cap Ford - All Models OEM Ref: 81811847 83904042	Fuel Tank Cap OEM Ref: E4N		Fuel Tank Cap Ford 40 Auxillary (91-98) OEM Ref: 81874137
Oil Caps			
1500 Oil Filler Cap Ford Power Steering OEM Ref: D2NN3A514B	4080 Oil Filler Cap Ford Engine/ Transmission OEM Ref: 83907851	4166 Transmission Oil Filler Dipstick Ford OEM Ref: 81817892	Cap 41757 Filler Cap Ford - Transmission OEM Ref: 957E7010
Fiat			1
Oil Cap		Fuel Tank	Сар
7565		7285	
Engine Oil Filler Cap Fiat 100/90, Case JX, U OEM REF: 4232606		Fuel Tank Cap Fiat OEM REF: 5105346	

msc142 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Pg Modified By: Date Modified: Approved By:

Ver 5.0 MOD 15-09-16



John Deere Radiator Caps



Radiator Cap John Deere 1640 - 3140 OEM Ref:AL38374



Radiator Cap John Deere 940 3140 1030 1630 2020 2120 3120 OEM Ref: AL38374



Radiator Expansion Tank Filler Cap 1350-2450 2650-3650 OEM Ref: AL58894



Radiator Cap John Deere 4040 4840 4050 OEM Ref: AR76619



Radiator Expansion Tank Cap John Deere 6000 OEM Ref: AL78005



Radiator Cap John Deere 6000 6010 6020 Filler OEM Ref: AL76661



Radiator Cap John Deere 7000 - 7020 OEM Ref: RE43593

Fuel Tank Caps



Oil Caps

59391



Oil Cap John Deere 3050 3350 3640 2140 1640 2040 OEM Ref: R90788



Oil Cap John Deere 2040 - 3640 Filler Neck Up To Serial Number 429999 1350 - 2450 2650 - 3650 All 6000 6010 6020 OEM Ref: R80136

59401

Oil Filler Cap Engine John Deere



Oil Filler Cap Back End John Deere With Dipst 6100 - 6600 6010 - 6610 6020 - 6620 OEM Ref: AL163619

Zetor Radiator Caps

5029

Radiator Cap Zetor 8011 OEM Ref: 84013502



Fuel Tank Caps

2503 OEM

Fuel Tank Cap Zetor 6718 8011 OEM Ref: 955235





Renault Radiator Cap

780016

Radiator Cap Renault MWM OEM Ref: 0853058000



Fuel Tank Cap



Fuel Tank Cap Renault OEM Ref: 7700021448



IHC Radiator Caps

Radiator Cap IHC Round

52133



52020

Radiator Cap IHC c/o Cover OEM Ref:1500626C92



2663

Fuel Tank Cap IHC OEM Ref: 538063R1






Toyota Radiator Caps



Radiator Cap Toyota 0.9 BAR

David Brown Oil Filler Cap





Exhausts - Clamps - Caps

Weathercaps

Raincaps



51807	2″	51mm
51204	2 1/4″	56mm
51199	2 3/4″	70mm
51198	2 5/8"	66mm
51196	3 1/2″	89mm
51195	3 1/4″	82mm



62801 1 3/4" 45mm **59290** 3 3/4" 100mm



341570mm2 3/4"**3264**82mm3 1/4"



61579 240 43mm **3169** 285 Rain Cap



62121 Exhaust Clamp 165 - OE Type 59mm



61298 Exhaust Clamp 35 135 Lower Horizontal



62105 Exhaust Clamp for Rear View Mirror 35 Exhaust



907155 Washer 100 200 Exhaust Clamp Square



180070 Exhaust Clamp 20 TVO Heavy Duty

Stainless Steel Rain Caps









msc146 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Approved By:



Fan Belts

Massey Ferguson





Part No	Models	OE Ref	Size mm				
62141	Fan Belt 20D 35 Narrow - 17 X 985 **V771 is the wide belt**		17 x 985				
V771	Fan Belt 20D 35 4 Cylinder - 20x13x985 **62141 is the Narrow belt**	826960M1	17 x 985				
2235	Fan Belt 35 3 Cylinder - 13 X 1175 828729M1						
2240	Fan Belt 135 7600 Double Pulley 13 X 1225 **Also 3000 Series Air con Belt**	890982M1	13 X 1225				
2255	Fan Belt 165 188 Zetor Crystal - 13 X 1275	1447317M1	13 X 1275				
4379	Fan Belt 365 375 390 - 13 X 1490	1693745M1	13 X 1490				
6964	Fan Belt 399 Phaser - 13 x 1520 - PAIR	3614706M92	13 x 1520				
6765	Fan Belt 399 A6.354.4 Pair	3595070M91	13 X 1440				
3790	Fan Belt 200 500	81822583	13 X 1400				
2240	Fan Belt 135 7600 Double Pulley *Also 3000 Series Air con Belt	890982M1	13 X 1225				
4380	Fan Belt 698		13 X 1500				
1244	Fan Belt 698T Pair	1687610	10X1500				
4381	Fan Belt 699 Pair	1688216M91	13 X 1445				
2300	Fan Belt 2640 2680 Pair	3045111M91	13 X 1500				
6766	Fan Belt 2640 3080 3090 Pair	3381364M91	13 X 1515				
6898	Fan Belt 3125 3635 3645 6190 8110 Pair	3582953 M91	13 X 1575				
429968	Fan Belt 42's With Air Conditioning Pair Green Engine 4225 4235 4240 4245 4255 4265	3817582M1	13 x 1400				
429969	Fan Belt 42's High Visibility Tractor Green Engine,4225 4235 4240 4245 4255 4265	3815256M1	13 x 1295				
429970	Fan Belt 42's High Visibility With Air Conditioning Green Engine 4225 4235 4240 4245 4255 4260	3815257M1	13 x 1295				
62545	Fan Belt 5445 5455 5460 c/w Air Conditioning	3389525M1	13 x 1100				
62534	Fan Belt 5445 5455 5460 c/w Hi Vis	3780604M91	13 X 1295				
429973	Fan Belt 4215 4220 Pair	3637598M91	13 x 1275				
61380	Fan Belt 6245/6255 & 6260/6290 Pair 4260/4270 - 1405mm Long	3780606M91	13 x 1405				
62538	Fan Belt 6260 6270 6280	3780138M91	13 X 1390				
62539	Fan Belt 6260 6270 6280 c/w Air Conditioning	3386214M1	13 X 1150				
62536	Fan Belt 6460 6470	4274692M91	13 X 1420				
62532	Fan Belt 6460 6470 c/w Air Conditioning	4275784M1	20 X 1060				
62533	Fan Belt 6475 6480	3779379M91	13 X 1425				
2260	Fan Belt 240 Massey Ferguson 50B	3637306M91	13 X 1300				

msc147

Fan Belts

Ford


С		BALME I	D
Part No	Models	OE Ref	Size mm
1936	Cogged Belt Dexta		12.5 X 1125
2275	Fan Belt 2000 3000 4000 5000		13 X 1375
3790	Fan Belt 500's/Ford 600's S/P	81822583	13 X 1400
3370	Alternator Belt Ford 6600 7600 Double Pulley	D5NN10C3181C1	13 X 765
2240	Fan Belt 135 / 7600 Double Pulley		13 X 1225
4423	Fan Belt Double Pulley Ford 7600 7610	D6NN8620A	13 X 1145
4456	Fan Belt Ford 7610 7810 Short - AVX13 x 800	83948803	13 X 800
4254	Fan Belt Ford 7810 Late - Long	86514611	13 X 1150
4794	Fan Belt Ford 8210 TW5 15 25 35	89625879	13 X 1470
402914G	Fan Belt Ford 40 TS110 TS115 w/o Air Con Original	82850750	6PK 2217
402915G	Fan Belt Ford 40 TS110 TS115 c/w Air Con Original	82850752	6PK 2254
404857G	Fan Belt Ford TS 80 90 100 w/o Air Con Original	82850751	6PK 2225
404859G	Fan Belt Ford 81/82/83/8560 w/o Air Con Original	87316555	8PK 1475
41051G	Fan Belt Ford 8160/8260/8560/TM C/W Air Con Original	87309962	8PK 1951
41635	Fan Belt Ford TSA 100-135, T6000	4899178	8PK 1551
41635G	Fan Belt Ford TSA 100-135, T6000 Original	4899178	8PK 1551





Fan Belts

Fiat



Zetor

Part No	Models	OE Ref	Size
2255	Fan Belt Zetor Crystal	98419479	13 X 1275
1237	Fan Belt Zetor 8111		10 X 1225
B45	Fan Belt Zetor - up to 6718	974312 974318	
59685	Fan Belt Zetor 10 x 1113 - V Belt		10 X 1113



Leyland

Part No	Models	OE Ref	Size
2260	Fan Belt Leyland		13X1300

Universal

Part No	Models	OE Ref	Size
2032	Fan Belt Universal		12.5 x 1150

Deutz

Part No	Models	OE Ref	Size
3492	DX610-110-85		9.5 x 1560

Fan Belts

Case

Ø							
Part No	Models	OE Ref	Size				
1509	Fan Belt IHC 474 784	3616512M91	13 x 1550				
52002	Fan Belt Case 956/1056 w/o Air Conditioning	3218952R1	13 x 1420				
52006	Fan Belt Case 4240	1537104C1	13 x 1595				
52000	Fan Belt Case Maxxum 5120 5130 MX 100 135 MX 100 - 135	J911558	8PK 1495				
52001	Fan Belt Case Maxxum 5130 5140 5150 8PK1460	J911562	8PK 1460				
52085	Air Con Belt Case CX70 CX80 CX90	228332A2	13 x 930				
59368	Fan Belt Case IH 323 383 423 453 484 540 640 740 743	3144678R1	13 x 1325				
52776	Fan Belt Case C90 CX90 C100 CX100	241895A2	10 X 1415				
52775	Fan Belt Case Magnum 7120 7150 7210 7250 8PK1700	J911567	8PK 1700				
52774	Fan Belt Case MX150 MX170 - 5130 5140 5150 8PK1460	J911558	8PK 1460				

David Brown

P	B			
Part No	Models	OE Ref	Size	
3475	Fan Belt David Brown 990/1410	K68073	10 X 1175	
52176	Fan Belt David Brown 3 Cylinder	K912196	10 x 1090	





Fan Belts

John Deere



|--|

Part No	Length	Air Breaks	Air Con	Models	Tension
59907	2190mm	No	Yes	6800 6900	Mech
59907G	2190mm	No	Yes	6800 6900 8PK2190	Mech
59947G	2205mm	No	Yes	6100 6200 8PK2205 Original 6300 6400 6600 & All SE	Mech
59948	2225m	No	Yes	6100 6200 8PK2225 Also fits 6300 6400 6600 2225mm	Hyd
59948G	2225mm	No	Yes	6100 6200 6300 6400 6600	Hyd
59949	1718mm	No	No	6100 6200 6PK1718 6300 6400 6506 6600 Premium 6100 6200 6300 6400 SE models	Mech
59949G	1718mm	No	No	6100 6200 6PK1718 6300 6400 6506 6600 Premium 6100 6200 6300 6400 SE models	Mech
59950	1700mm	No	No	6600 6800 6900 6PK1700 6506 6600 6800 6900 - W/O Air Con	Mech
59950G	1700mm	No	No	66 68 6900 6PK1700 6506 6600 6800 6900	Mech
59889G	1930mm	No	No	6010 6020 4 Cyl 8PK1930 6110 6210 6310 6410 6120 6220 6320 6420	Mech
58676	2200nn	No	No	6800 6900 8PK2200	Mech
59063	2285mm	Yes	Yes	6100 6200 6300 6400 6800 6900	Hyd
59694G	2460mm	No	Yes	6100 - 6610 M/ten 8PK2460 & A/C 6120 6130 SE and Premium Tractors	Mech
59387	2500mm	Yes	Yes	6810 6910 6910S 8PK2500 For 6810 6910 with Air Brake & Air Con 6230 6330 6430 with Air con up to Serial Numb (98-27/64")	Mech
59375	2455mm	No	Yes	6820 c/o Air Con 8PK2455 6820 - 6920S 6230 - 6930	
58675	773mm			Alternator Belt John Deere 6930 - 7530 Premiu	

Fan Belts John Deere

Part No	Length	Air Breaks	Air Con	Models	Tension
59539	2365mm	Yes	No	6810,6910,69105,6230,6330	Mech
59540G	1900mm	No	No	6810 6910 69105 6230 6330	Mech
59541	2515mm	YES	Yes	6310, 6410, 6510, 6610, 6520, 6620, 6130, 6630	Mech
59542	1915mm	No	No	6510,6610,6130	Mech
59543	1910mm	Yes	No	6820,6920,69205,6230,6930	Mech
59544	2375mm	Yes	No	6820,6920,69205,6230,6930	Mech
59545	2505mm	Yes	Yes	6820,69205,6930	Mech
59375	2440mm	No	Yes	6820,69205,6230,6930,2455	Mech





Part No	Length	Air Breaks	Air Con	Models	Tension
59321	1120mm	No	No	2020 2120	Mech
59320	1215mm	No	No	1020 1120 1520 2120 1030 1130 1630 2020 2120 1830 2030 2130	Mech
59319	1328mm	No	No	3120 3130 3030 1640-2040	Mech
59318	1390mm	No	No	2840 3030 3130 X17X1390LP	Mech
59325	1397mm	No	No	2250 - 2850	Mech
59324	1447mm	No	No	3300-3410 2250-2650	Mech
59317	1460mm	No	No	3040 3140 X17X1460	Mech
59323	1473mm	No	No	3100-3210 2350-2850	Mech
59322	1540mm	No	No	3050 3350	Mech









High Tensile Steel Bolts

UNC	JNC D											
D >	1/4″	5/16″	3/8″	7/16″	1/2″	5/8″	3/4″	7/8″				
L ¥												
3/4″	353667	353677										
1″	353669	353679	353691	353698	353723							
1 ½″	353673	353683	354262	353702	353724	353726						
1 ¼"		7316										
1 ¾"												
2"		353687	353897	353706	354280	353728	354710	4669				
2 ½"	3568	354615	354269	353710	354651	353937	354714	3770				
3"	354611	354619	354271	353714	354655	353730	3846	3847				
3 ½"			3289	353718	3203							
4"				353722	3888	354296	354726					
4 3/8"												
4 ½"						353636						
5"						3896						

3290 Rotavator Bolts 1/2' x 38mm

msc154

3629 M14 x 100 Coarse Bolt



Approved By:



High Tensile Steel Bolts

UNF			D							
L\D	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	9/16"	3/4"	7/8"	1"
3/4"	353503	353517								
1"	353505	353519	353538	353559	354393					
1 1⁄2"	353509	353525	353542	353563		353611				
2"	353513	353527	353546	353567	353599	353615		1025	3849	3199
2 1⁄2"	354491	353531	353550	353571	353887	353619		3200	3850	
3′	354768	353535	353554	353575	353890	353623	3096	354571	3851	3852
3 ½"			354505	353579	353602	353627	353564	354573		
4"				353583	353892	353631		894034	2282	
4 1⁄2"			2876			353636				
5"				353591	4656	353639		354582		
5 ½"						353643				
6"						3706				
7"						353655				
8"						353894				
9"						357322				
10"						3566				



High Tensile Steel Bolts

M	METRIC D												
D\L	Туре	25	30	40	45	50	65	75	80	100	120	140	150
М3		4475											
M4		4476											
M5				51021									
M6	Chess H. Screw					4479							
	Coarse					3007		3591		3597			
	Fine	1550			353605	1551	1552						
M8	Coarse	3008	2727			3009		3598		3993			
M10	Fine	1553				1558	353654		1564				
MITO	Coarse		3010			3011	- 555054	3012		3013			
M12	Fine	3664				1565			1566	1569			
	Coarse					3048		3049		3619			
	Fine	3684				1873	3737 1.5p			1876			
M14	Coarse		3637			3757		1424					
	Fine	3695		1874		1697	3696			1877			
M16	Coarse	2728				3014		3015		3016	51622	3017	3018
M10	Fine												
M18	Coarse					2097			2101	2100			
M20	Fine												
	Coarse						3019		3020	3021			
M22	Fine							353561					
	Coarse												

Approved By:



Metric Nuts & Washer

	Nuts Coarse	Nyloc Nut Coarse	Nuts Fine	Nuts Fine Lock	Flat Washer
М3	4481				
M4	4482				
M5	4490	51022			
M6	3001				3515 51948
M8	3002	1987	1579	3723	3517 51945
M10	3003	1699	1580	3724 1.25p	51946
M12	3050	1223	1587	3547 (1.25p) 3734 (1.5p)	51947
M14	1423 3990	1995			51944
M16	3004	1996 53348	3709 353562		51950
M18	2084	353603 53347			51951
M20	3005	1998 53346			51949

52893

Shear Bolts Pack M8 x 55mm





Nut & Washers


	Unc Nuts	Unc Lock Nuts	Flat Washer	Spring Washer	UNF Nuts	Unf Lock Nuts
				\bigcirc		
1/4"	355564	375107	353754	353441	353918	376446
5/16"	355565 3995	376453	353770	353446	353916	
3/8"	355566	2003	353771	353434	353431	353430
7/16"	355645	376455	353772	353432	353426	353428
1/2"	375098	357560	353773	353439	353437 51932	353438
9/16"					3223	
5/8"	375099	357562	353774	353433	353427	353429
3/4"	375100	3567	353762	353440	353435	353442
7/8"	375101		1061	3661	3439	
1"	1105		1067	3844	3224	
1 1/4"			1366			
1 1/2"			1001			







Threaded Bars & Steel Keys Metric Threaded Bars



2684	4 x 4 mm
2685	5 x 5 mm
2686	6 x 6 mm
2669	8 x 7 mm
2673	14 x 14 mm
2674	16 x 16 mm



2682	1/2 x 1/2′
2677	3/16 x 3/16′
2680	3/8 x 3/8′
2679	5/16 x 5/16′
2681	7/16 x 7/16′

Thread Lock



(55 pcs) 51288	d Pack of Small Split Pins I Pack of Large Split Pins	
A1497 1472	Split Pin 2.5mm x 38mm Split Pin 5mm x 75mm	
53040 Cotter Pi	ns 6.3 x 75mm	

msc159

Bolts, Nuts & Bearings



Single Row Ball Bearings



Ref ID OD WD 60012RS 60032RS 6003ZZ 60042RS 6004ZZ 60052RS 6005ZZ 60062RS 6006ZZ 60072RS 6007ZZ 60082RS 6008ZZ 60092RS 6009ZZ 60102RS 6010ZZ 60112RS 6011ZZ 6012ZZ 60142RS 60152RS 60162RS 60172RS


62 Series

Ref	ID	OD	WD
6200ZZ	10	30	9
62012RS	12	32	10
62022RS	15	35	11
6202ZZ	15	35	11
62032RS	17	40	12
62042RS	20	47	14
6204ZZ	20	47	14
62052RS	25	52	15
6205ZZ	25	52	15
62062RS	30	62	16
6206ZZ	30	62	16
62072RS	35	72	17
6207ZZ	35	72	17
62082RS	40	80	18
6208ZZ	40	80	18
62092RS	45	85	19
62102RS	50	90	20
62112RS	55	100	21
62122RS	60	110	22
6212ZZ	60	110	22
62132RS	65	120	23
62172RS	85	150	28

63 Series

Ref	ID	OD	WD
63002RS	10	35	11
6300ZZ	10	35	11
63012RS	12	37	12
63022RS	15	42	13
6303ZZ	17	47	14
63032RS	17	47	14
63042RS	20	52	15
6304ZZ	20	52	15
63052RS	25	62	17
6305ZZ	25	62	17
63062RS	25	72	19
6306ZZ	25	72	19
63072RS	30	80	21
6307ZZ	30	80	21
63082RS	35	90	23
6308ZZ	35	90	23
63092RS	40	100	25
6309ZZ	40	100	25
63102RS	45	110	27
6310ZZ	45	110	27
63122RS	60	130	31
6312ZZ	60	130	31
63142RS	70	150	35

Bearings



Approved By:



Single Row Ball Bearings

High Speed

Ref	ID	OD	WD
6009C3	45	75	16
6207C3	35	72	17
6210C3	50	90	20
6211C3	55	100	21
6306C3	25	72	19

C3 Series

Ref	ID	OD	WD
62062RSC3	30	62	16
62072RSC3	35	72	17
62102RSC3	50	90	20

17 Series

Ref	ID	OD	WD
1762012RS	12	32	10
1762022RS	15	35	11
1762032RS	17	40	12
1762052RS	25	52	15
1762092RS	45	85	19
1762102RS	50	90	20

600-620-630 Series

Ref	ID	OD	WD
6082NSL	8	22	7
6092NSL	9	24	7
6252NSL	5	16	5
6262NSL	6	19	6
6272NSL	7	22	7
6282NSL			
6292NSL	9	26	8

Taper Roller Bearings

302 Series

Ref	ID	OD	IW	OW
30204JR	20	47	14	12
30205	25	52	15	13
30206J	30	62	16	14
30207J	35	72	17	15
30208J	40	80	18	16
30209J	45	85	19	16
30210J	50	90	20	17
30211	55	100	21	18
30212J	60	110	22	19
30213	65	120	23	20
30214	70	125	24	21
30215	75	130	25	22

303 Series

Ref	ID	OD	IW	OW
30302J	15	42	13	11
30303J	17	47	14	12
30304J	20	52	15	13
30305	25	62	17	15
30306JN	30	72	19	16
30307JR	35	80	21	18
30308J	40	90	23	20
30309J	45	100	25	22
30310J	50	110	27	23
30311	55	120	29	25
30312	60	130	31	26
30313	65	140	33	28
30314	70	150	35	30
30315	75	160	37	31

322 Series


Ref	ID	OD	IW	OW
32206JR	30	62	20	17
32207J	35	72	23	19
32208JR	40	80	23	19
32210	50	90	23	19
32211	55	100	25	21
32212	60	110	28	24
32213	65	120	31	27
32214J	70	125	31	27
32215	75	130	31	27
32216J	80	140	33	28



Bearing Inserts & Pillow Blocks

Bailer Bearing Inserts Bearing Inserts

4 Bolt Flange Units



	Ref	ID (MM)
able	RAE40NPPB	40
NonGreasable	RAE60NPPB	60
Greasable	GE30KRRB	50



REF	ID
UC206-18	1 ^{1/8} ′
UC207	35mm
UC20824	1 ^{1/2} ′



Ref	ID
UCF205-16	1′
UCF208-24	1 ^{1/2} ′
UCFX10E-32	1 ^{1/4}
UCFX13E-40	1 ^{3/4}
UCF210	

Ram Bushes

Ref	ID (mm)	OD (MM)
4213	17	30
7459	20	35
7306	25	42
4277	40	62
4287	50	75
4309	60	90
4310	70	105



Pillow Block Bearings



Ref	ID
UCP205-16	1′
UCP206-18	1 ^{1/8} ′
UCP207-20	1 ^{1/4} ′
UCP208-24	1 ^{1/2} ′

LOCKING COLLARS

Part No.	Dimensions
53697	Locking Collar ID 3/8" OD 3/4" x 3/8" BZP
53698	Locking Collar ID 7/16" OD 7/8" x 7/16" BZP
53699	Locking Collar ID 1/2" OD 1" x 7/16" BZP
53700	Locking Collar ID 5/8" OD 1 1/8" x 1/2" BZP
53701	Locking Collar ID 3/4" OD 1 1/14" x 9/16" BZP
53702	Locking Collar ID 7/8" OD 1 1/2" x 9/16" BZP
53703	Locking Collar ID 1" OD 1 5/8" x 5/8" BZP
53704	Locking Collar ID 1 1/8" OD 1 3/4" x 13/16" BZP
53705	Locking Collar ID 1 1/4" OD 2" x 7/8" BZP
53706	Locking Collar ID 1 3/8" OD 2 1/8" x 7/8" BZP
53707	Locking Collar ID 1 3/4" OD 2 5/8" x 1" BZP
53708	Locking Collar ID 2" OD 3" x 1 1/8" BZP



53709	Locking Collar ID 10mm OD 20mm x 10mm BZP
53710	Locking Collar ID 15mm OD 25mm x 12mm BZP
53711	Locking Collar ID 20mm OD 32mm x 14mm BZP
53712	Locking Collar ID 22mm OD 36mm x 14mm BZP
53713	Locking Collar ID 25mm OD 40mm x 16mm BZP
53714	Locking Collar ID 30mm OD 45mm x 16mm BZP
53715	Locking Collar ID 35mm OD 56mm x 16mm BZP
53716	Locking Collar ID 40mm OD 63mm x 18mm BZP
53717	Locking Collar ID 45mm OD 70mm x 18mm BZP
53718	Locking Collar ID 50mm OD 80mm x 18mm BZP
53719	Locking Collar ID 60mm OD 90mm x 20mm BZP

msc162



TOPPER BLADES

Suits :

Belmac Conor Malone Fleming Wylie Nugent Bridgeway Quinn Rossmore Toppers



53144 Topper Blade 13' x 5/16' 26mm **RH**

53146 Topper Blade 13' x 5/16' 30mm **RH**

53148 Topper Blade 13' x 5/16' 32mm **RH** **53145** Topper Blade 13' x 5/16' 26mm **LH**

53147 Topper Blade 13' x 5/16'30mm **LH**

53149 Topper Blade 13' x 5/16'32mm **LH**





43257 Topper Blade Major 30mm Hole 270mm Long Clockwise

43256 Topper Blade Major 30mm Hole 270mm Long Anticlockwise

	51189	51188	37046563
3880			
Flail Head 1/2" Rotary Spreader			
Howard			
3254 Flail Head 3/8" Howard	C		
d'H	Flail Spiral Pin 11mm Howard	Flail Plate 4 x 2.5" Howard	370 x 46.5 x 6.3 Vane
3934	499	98	
C2222222	COR	2222	50-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-
Flail 3/8" x 15 Link Chain Spreader	Fla	ail 1/2' x 15 Link Chain S	preader
1139	52894	53038 Eye Hoo	ok 9mm
Grab Hook 1/4"		700kgs	
		53037 Eye Hoo	ok 8mm
2124 Slip Hook 3/8"			Throat 11mm
1391 Grab Hook 5/16"		53039 Eye Hoo 900kgs	ok 12mm
	Grab Hooks 11mm 860kgs		











Airline Fittings

Hose Parts



UNF





1362 Coupling Y Air Twin

Airline Gauge

51855 Airline Gauge Mk 3 Twin Hold On Open End PCL





Tyre Parts



Rear Tube Nozzle



Rubber Snap In Valve



Valve Dust Cap



Brass Valve









Valve Female For Tube



Air Compressor Hose c/o Fitting (to Tyre) 16 Bar 5.5m Long



Air Compressor c/o 13ft Hose - 6 Mtr In wooden box ** Connector is 51734 **



Connector for 2418 Compressor



Tyre Repair Kit Tub


52859

less





Valve Tyre





51840	52909	52910	53220
Fibre Washers Assorted METRIC	Fibre Washer Handy Pa ImpERIAL	Fibre Washer Vulcanised ck Handy Pack	Copper Washer Kit Impe- rial
53306	53219	53218	53307
Grommets Wiring & Blank- ng 240pcs	O Ring Kit Metric	O Ring Kit Imperial	Olives Stepped & Barrell Imperial 500pcs
CERUNCE SURFLIG			有世的影影Andlit 主要重整的收缩使
53290 53291	53286	53292	53289
Wire Brush Wire Bru Drill Mounted Mounte 75 x M14 M14		ar Wire Brush Twisted	Steel Wire Brush 3 Pack
53285	53288 5328		59250

Blow Gun Long Nozzle

msc166 Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

Ver 5.0 MOD 15-09-16



53598

Assortment Packs

Fuse Blade & Tool Kit 93pcs Includes Tester and Removal Tool

52902 Pre Insulated Terminal Kit

260pcs





52900 Fuse Mini Blade Tool Kit 90pcsIncludes Tester and Removal Tool



52903 Pre Insulated Terminal Kit 160pcs



53593 Grease Nipple Kit Metric 110pcs



53595 Split Pin Kit 1000pcs



53604 Split Pin Large Kit 144pcs

Split Pin & Grip Clip Kit 260pcs

53602



53599 Grip Clip Kit 150pcs



53603 Clevis Pin Kit 60pcs



53606 Circlip Internal External Kit 225pcs





Assortment Packs

53609 Parallel Key Imperial Kit 60pcs



53605 Spring Ext & Comp Kit 200pcs



53597 Woodruff Key Metric 80pcs



53596 Roll Pin Imperial Kit 315pcs



53594 Washer Copper Metric Kit 110pcs



53608 O Ring Kit Imperial 80pcs



53600 Wing Nut Kit 150pcs Metric



53601 Hex Head Drill Screw Kit 200pcs



53607 S Proof & Spring Washers 720pcs



53610 Nut & Bolt SAE Kit 347pcs



Approved By:





Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.





Date:			No. of Pages:		
Name of the Rep		A/C Number:			
From:	From:		e-mail		
Phone No.	••••••		Fax No.:		
F	Please quote for the fo	llowing parts - Qu	otation Number :		
	wish to confirm the f	ollowing order on	Ouotation Number:		
\frown	Please supply the follo				
1	1		n		
Qty	Part No.	Descriptio	n	Unit Price	
1.					
3.					
1.					
5.					
5.					
7.					
3.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22. 23 .					
23.					
Comment	<u> </u>				

Please photocopy this page

Tel No: + 353 44 934 1638

e-mail: info@qtponline.com, www.qtponline.com

OTP

]**of**[

Page[

lease do not remove

age



53734 53735 4689 GT 7 Penetrating Tec 7 Glue Mount & Seal 310ml ***Colour Oil & Moisture Penetrant Oil Black*** Repellent 600ml Wynn's 53761 53759 53760 Novaflush Engine Novaflush Novastop Radiator Powerful Engine **Radiator Cleaner Radiator Sealer** Flush Pump Sealer Engine Block 52855 53125 52192 52858 WD40 WD40 WD40 WD40 White Lithium Smart Smart Smart Grease Straw Straw Straw High 600ml 420ml 400ml Performance 400ml

Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

By: Date Modified: Approved By:

RADE SI

Ver 5.0 MOD 15-09-16





Original equipment manufacturer names and part numbers are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.

msc173



Farmer's Friend



Pg Modified By: Date Modified: Approved By:

Ver 5.0 MOD 15-09-16





Grease Guns & Pumps





FLAT53422

FLAT53421

Grease Nipple M8 x 1.25mm

Grease Nipple M8 x 1mm

Grease Nipples

51282

Grease Nipples Assorted Pack (M6/8/10) 10pc

51289 Grease Nipples Assorted Pack 10 pcs

51290 Grease Nipples Assorted Pack Ford (10 pcs)

1626	1/8"	Bsp 45 Hydraulic Grease Nipple
1588	1/8"	Bsp 45 Hydraulic Grease Nipple
3473	1/4"	Beat In Grease Nipple
200191	1/4"	Unf Straight Hydraulic Grease Nipple
1670	1/4"	Bsp 45 Hydraulic Grease Nipple
FLAT1694	1/4"	UNF 90 Hydraulic Grease Nipple
1694	1/4"	UNF 90 Hydraulic Grease Nipple
29958X	1/4"	UNF 45 Hydraulic Grease Nipple
1287	5/16"	UNF Straight Hydraulic Grease Nipple
1144	3/8"	UNF 45 Hydraulic Grease Nipple
1261	3/8"	UNF 90 Hydraulic Grease Nipple
2906	3/8" 45"	BSP Grease Nipple





Approved By:

90°



1544 1544L Metal Oil Can & Flexi Tube Oil Can QTP 3551 3476

Funnel with Filter & Flexi Extension



3545

Funnel & Diesel Filter (Water Separator)

Can Flexi Spout Measures

Funnel Plastic



Linch Pins










WESTARO14 XXL WESTARO15 XXXL







6613


6628



6626









Switch Push Button 20amp Heavy Duty - M25 Plastic Screw Terminals Heater Plug In

Universal Joints, PTO & Crossends



Universal Joints



Ref	Description	Gua	DXL
1233	Universal Joint	Gua1	18 X 47
1220	Universal Joint	Gua3	22 X 54
1448	Universal Joint	Gua4	22 X 55
4389	Universal Joint 4-Wheel Drive Agri		22 X 59
1216	Universal Joint	Gua5	24 X 61
1921	Universal Joint	Gua7	27 X 70
409820	Ford 40'S Carrero Universal Joint		27 X 71
1449	Universal Joint 375/390/390T/3050/3060	Gua8	27 X 74.5
2382	U Joint 300'S 4Wd/Fiat Grease Nipple		27 X 82
409746	Ford /Tl/Tm/Ts 4 Wd Cross (Fiat Axle)		27 X 82.7
1881	U Joint (3.10.80)	Gua10	30 X 81.7
2855	U Joint Zf Apl 345 4Wd Axle 7610/8210/Tw5/Tw15/Tw25 / Jd 40/50'S		30 X 84.2
61399	50H/50Hx/60H Universal Joint		30 X 107
3836	Universal Joint	Gua11	30.2 X 80
61378	Massey Ferguson - 300'S		30.2 X 91.4
1450	Universal Joint	Gua12	30 X 92
6824	Massey Ferguson 698/698T/699/ 26'S/3000/31'S/36'S/590/595		30.2 X 92
1218	Universal Joint	Gua13	30.2 X 106.5
1880	Universal Joint	Gua14	32 X 76
4960	Ford TW 5/15/25 Universal Joint		34.9 X 97
1217	Universal Joint	Gua17	34.9 X 106.4
2315	Universal Joint Case Ih 644/744/844/844S/955/1055/1255/856/ 956/1056/ Ford Tw10/Tw20/Tw30/Tw35		38 X 106
1219	Ford County Universal Joint	Gua18	39.7 X 115.9
3073	Universal Joint	Gua20	36 X 89
350600	Wide Angled Universal Joint	Gua23	27/32 X 76/94
51254	Wide Angle Shaft U Joint	3606	32/36 X 89/106
62861	U Joint 42 43 Series Hole in Side of Cap		27 x 71mm
43252	Universal Joint TMs 60s Ms Front Axle		



P.T.O. Shafts - Walterscheid



Inner Runner Ring




90	90
1	5

Safety Guards for PTO Shafts

Ref	lnner mm	Outer mm	No
51791	40	53	8
51781	44	53	4
51790	48	57	12
51794	59	75	19

Ref	Description
51797	PTO Universal Kit K2 - Suits 59646 / 59645 9502x1 9002x1 9542x2
51796	PTO Universal Kit K1 - Suits 59648 / 59647 9001x2 9000x1 9501x1


P.T.O. Guards








Crosses & End Tubing - Walterscheid





Tubing End Yokes - Walterscheid



msc183



PTO Release Buttons

